# NSN 5990-00-484-1516

Transmitter Synchro - Page 1 of 3

View Online at https://aerobasegroup.com/nsn/5990-00-484-1516



## **Body Material:**

Steel, stainless

## **Body Style:**

Standard round d

# Shoulder Diameter:

Between 1.9850 inches and 1.9900 inches

## **Pilot Diameter:**

0.5950 inches

#### Second Shoulder Diameter:

Between 1.9985 inches and 1.9995 inches

## Second Shoulder Length:

0.1700 inches

#### **Overall Length:**

4.2990 inches

#### Flange Diameter:

Between 2.2490 inches and 2.2500 inches

#### Flange Thickness:

0.2500 inches

## **Body Diameter:**

1.9900 inches

## Shaft Diameter:

0.2380 inches single shaft and 0.2405 inches single shaft

## Shaft Length:

0.7090 inches single shaft and 0.7290 inches single shaft

#### **Fragility Factor:**

Moderately rugged

## Maximum Tempurature Rise:

20.0 degrees celsius

### Body Size:

23

# Rotor Input Voltage Rating In Volts:

115.0

## **Frequency In Hertz:**

400.0

# **Rotor Input Current Rating:**

245.0 milliamperes

# **Rotor Input Electrical Power Rating:**

1.7 watts

# Zro Impedance Magnitude In Ohms:

Between 470.00 and 580.00

# Zro Impedance Angle In Deg:

Between 4.00 and 7.50

# NSN 5990-00-484-1516

Transmitter Synchro - Page 2 of 3



Zss Impedance Magnitude In Ohms:
Between 21.60 and 26.00
Zss Impedance Angle In Deg:
Between 42.00 and 47.00
Phase Shift Angle In Deg:
1.000 input to output
Maximum Fundamental Null Voltage In Millivolts Per Volt:
32.00 output
Maximum Total Null Voltage Output In Millivolts Per Volt:
48.00
Electrical Error Angular Range In Minutes:
-6.0/+6.0
Actuator Friction Torque At Plus 25 Deg Celsius:
0.20 inch-ounces
Pilot Length:
0.0430 inches
Shoulder Length:
0.2500 inches
Aft Of First Flange Diameter:
Between 1.9985 inches and 1.9995 inches
Mounting Surface To Terminal End Distance:
3.5800 inches
Shaft Thread Series Designator:
Unf single shaft
Shaft Thread Direction:
Right-hand single shaft
Shaft Thread Class:
2a single shaft
Terminal Location:
Rear
Shaft Thread Length:
0.4450 inches single shaft
Shaft Type:
Round, threaded single shaft
Transformation Ratio:
0.783 rotor to stator
Shaft Thread Size:
0.240 inches single shaft
Terminal Type And Quantity:
6 screw
Shelf Life:
N/a
Unit Of Measure:

# NSN 5990-00-484-1516

Transmitter Synchro - Page 3 of 3

# Demilitarization:

Yes - demil/mli

Fiig:

A07800

