

View Online at <https://aerobasegroup.com/nsn/5990-00-503-2908>

Body Material:

Steel, stainless

Body Style:

Standard round c

Shoulder Diameter:

Between 1.3115 inches and 1.3120 inches

Pilot Diameter:

Between 0.8745 inches and 0.8750 inches

Overall Length:

2.5300 inches

Flange Diameter:

Between 1.4360 inches and 1.4370 inches

Flange Thickness:

0.0930 inches

Undercut Diameter:

1.3120 inches

Undercut Width:

0.0780 inches

Shaft Diameter:

0.1870 inches single shaft and 0.1873 inches single shaft

Shaft Length:

0.5700 inches single shaft

Fragility Factor:

Moderately rugged

Body Size:

15

Stator Input Voltage Rating In Volts:

100.0

Frequency In Hertz:

500.0

Zro Resistance In Ohms:

615.00

Rotor Dc Resistance In Ohms:

250.00

Stator Dc Resistance In Ohms:

205.00

Phase Shift Angle In Deg:

6.000 input to output

Maximum Total Null Voltage Output In Millivolts Per Volt:

1.50

Output Voltage Functional Error Range In Percent:

-3.0/+3.0

Electrical Error Angular Range In Minutes:

-5.0/+5.0

Alignment Hole Quantity:

4

Pilot Length:

0.0400 inches

Shoulder Length:

0.1320 inches

Mounting Surface To Terminal End Distance:

1.9600 inches

Terminal Location:

Rear

Plus J Zro Reactance In Ohms:

660.00

Shaft Type:

Round single shaft

Alignment Hole Depth:

0.1250 inches

Transformation Ratio:

0.980 rotor to stator

Alignment Hole Bolt Circle Diameter:

1.1000 inches

Terminal Type And Quantity:

8 screw

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A07800