

NSN 5990-00-583-3724 Control Transformer Synchro - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5990-00-583-3724 **Body Material:** Aluminum **Body Style:** Standard round c **Shoulder Diameter:** Between 1.3115 inches and 1.3120 inches **Pilot Diameter:** Between 0.4995 inches and 0.5000 inches **Overall Length:**

2.1310 inches

Flange Diameter:

Between 1.4360 inches and 1.4370 inches

Flange Thickness:

0.0930 inches

Undercut Diameter:

1.3120 inches

Undercut Width:

0.0780 inches

Shaft Diameter:

0.1200 inches single shaft

Shaft Length:

0.5400 inches single shaft

Body Size:

15

Stator Input Voltage Rating In Volts:

11.8

Stator Input Current Rating:

25.0 milliamperes

Stator Input Electrical Power Rating:

70.0 milliwatts

Frequency In Hertz:

400.0

Zro Resistance In Ohms:

125.00

Rotor Dc Resistance In Ohms:

250.00

Stator Dc Resistance In Ohms:

63.00

Electrical Error Angular Range In Minutes:

-10.0/+10.0

Actuator Friction Torque At Minus 55 Deg Celsius:

15.0 centimeter-grams

NSN 5990-00-583-3724 Control Transformer Synchro - Page 2 of 2



Actuator Friction Torque At Plus 25 Deg Celsius:
3.0 centimeter-grams
Alignment Hole Quantity:
4
Pilot Length:
0.0400 inches
Shoulder Length:
0.1320 inches
Mounting Surface To Terminal End Distance:
1.5310 inches
Terminal Location:
Rear
Plus J Zro Reactance In Ohms:
480.00
Shaft Slot Depth:
0.0210 inches single shaft and 0.0310 inches single shaft
Shaft Slot Width:
0.0210 inches single shaft and 0.0310 inches single shaft
Shaft Type:
Round, slotted single shaft
Alignment Hole Depth:
0.1250 inches
Alignment Hole Bolt Circle Diameter:
0.8750 inches
Terminal Type And Quantity:
5 wire lead
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Filg:
A07800