NSN 5990-00-583-9458

Transmitter Synchro - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5990-00-583-9458

Body Material:
Steel, stainless
Body Style:
Standard round c
Shoulder Diameter:
Between 1.3115 inches and 1.3120 inches
Pilot Diameter:
Between 0.4995 inches and 0.5000 inches
Overall Length:
2.5270 inches
Flange Diameter:
Between 1.4360 inches and 1.4370 inches
Flange Thickness:
0.0730 inches
Undercut Diameter:
1.3120 inches
Undercut Width:
0.0780 inches
Shaft Diameter:
0.1195 inches single shaft and 0.1200 inches single shaft
Shaft Length:
0.5400 inches single shaft
Body Size:
15
Rotor Input Voltage Rating In Volts:
26.0
Frequency In Hertz:
400.0
Rotor Input Current Rating:
60.0 milliamperes
Rotor Input Electrical Power Rating:
400.0 milliwatts
Zro Resistance In Ohms:
110.00
Rotor Dc Resistance In Ohms:
53.00
Stator Dc Resistance In Ohms:
10.80
Phase Shift Angle In Deg:
7.000 input to output
Electrical Error Angular Range In Minutes:
-7.5/+7.5

NSN 5990-00-583-9458

Transmitter Synchro - Page 2 of 2



Alignment Hole Quantity:
4
Pilot Length:
0.0400 inches
Shoulder Length:
0.1320 inches
Mounting Surface To Terminal End Distance:
1.9870 inches
Terminal Location:
Rear
Plus J Zro Reactance In Ohms:
415.00
Shaft Slot Depth:
0.0210 inches single shaft and 0.0310 inches single shaft
Shaft Slot Width:
0.0210 inches single shaft and 0.0310 inches single shaft
Shaft Type:
Round, slotted single shaft
Alignment Hole Depth:
0.1250 inches
Transformation Ratio:
2.200 rotor to stator
Alignment Hole Bolt Circle Diameter:
0.8750 inches
Terminal Type And Quantity:
6 screw
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A07800