## NSN 5990-00-630-6154 Transmitter Synchro - Page 1 of 2



Transmitter Synchro - Page 1 of 2	
View Online at https://aerobasegroup.com/nsn/5990-00-630-6154	
Body Style:	
Standard round double flange a	
Pilot Diameter:	
1.5000 inches	
Second Shoulder Diameter:	
4.2030 inches	
Overall Length:	
8.9550 inches	
Flange Diameter:	
Between 4.4980 inches and 4.5000 inches	
Flange Thickness:	
Between 0.2490 inches and 0.2510 inches	
Body Diameter:	
4.2050 inches	
Shaft Diameter:	
0.3495 inches single shaft and 0.3500 inches single shaft	
Shaft Length:	
0.7100 inches single shaft and 0.7300 inches single shaft	
Distance Between Flanges:	
Between 2.2500 inches and 2.2540 inches	
Body Size:	
45	
Rotor Input Voltage Rating In Volts:	
115.0	
Frequency In Hertz:	
60.0	
Rotor Input Current Rating:	
3.0 amperes	
Rotor Input Electrical Power Rating:	
22.0 watts	
Torque Gradient Per Angular Deg:	
3.400 inch-ounces	
Shaft Maximum Radial Play:	

**Shaft Maximum Radial Play:** 

0.0005 inches

Pilot Length:

0.3210 inches

**Shoulder Length:** 

1.2420 inches

Aft Of Second Flange Diameter:

3.9370 inches

**Mounting Surface To Terminal End Distance:** 

Between 6.7460 inches and 6.7660 inches

## **NSN 5990-00-630-6154** Transmitter Synchro - Page 2 of 2



Shaft Maximum Runout:
0.0005 inches
Shaft Thread Series Designator:
Unf single shaft
Shaft Thread Direction:
Right-hand single shaft
Shaft Thread Class:
3a single shaft
Terminal Location:
Rear
Shaft Thread Size:
0.2500 inches single shaft
Terminal Type And Quantity:
5 screw
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A07800