## NSN 5990-00-644-0096

Differential Transmitter Synchro - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/5990-00-644-0096 **Body Material:** Aluminum **Body Style:** Standard round d **Shoulder Diameter:** Between 1.9850 inches and 1.9900 inches **Pilot Diameter:** Between 0.5900 inches and 0.6000 inches **Second Shoulder Diameter:** Between 1.9985 inches and 1.9995 inches **Second Shoulder Length:** 0.1700 inches **Overall Length:** Between 4.4930 inches and 4.5440 inches Flange Diameter: Between 2.2490 inches and 2.2500 inches Flange Thickness: Between 0.2480 inches and 0.2500 inches **Body Diameter:** Between 1.9850 inches and 1.9900 inches **Shaft Diameter:** 0.2500 inches single shaft **Shaft Length:** 0.6930 inches single shaft **Maximum Tempurature Rise:** 65.0 degrees celsius **Body Size:** 23 **Stator Input Voltage Rating In Volts:** 90.0 **Stator Input Current Rating:** 380.0 milliamperes **Stator Input Electrical Power Rating:** 11.8 watts Frequency In Hertz: 60.0 **Zro Resistance In Ohms:** 138.00 **Zso Resistance In Ohms:** 

138.00

Zso Resistance In Ohms: 87.00

Zrs Resistance In Ohms: 213.00

## NSN 5990-00-644-0096

Differential Transmitter Synchro - Page 2 of 3



## Maximum Fundamental Null Voltage In Millivolts Per Volt: 75.00 output Maximum Total Null Voltage Output In Millivolts Per Volt: 125.00 **Electrical Error Angular Range In Minutes:** -8.0/+8.0 **Spline Tooth Quantity:** 22 single shaft **Actuator Friction Torque At Minus 55 Deg Celsius:** 0.50 inch-ounces **Actuator Friction Torque At Plus 25 Deg Celsius:** 0.20 inch-ounces **Torque Gradient Per Angular Deg:** 0.034 inch-ounces Pilot Length: 0.0460 inches **Shoulder Length:** 0.2520 inches Aft Of First Flange Diameter: Between 1.9985 inches and 1.9995 inches **Mounting Surface To Terminal End Distance:** Between 3.4300 inches and 3.4450 inches **Spline Tooth Diametral Pitch:** 96 single shaft **Shaft Thread Series Designator:** Unf single shaft **Shaft Thread Direction:** Right-hand single shaft **Shaft Thread Class:** 2a **Terminal Location:** Rear **Shaft Thread Length:** 0.2660 inches single shaft Plus J Zro Reactance In Ohms: 369.00 Plus J Zso Reactance In Ohms: 214.00

**Transformation Ratio:** 1.154 rotor to stator

Spline w/threads single shaft

61.00

**Shaft Type:** 

Plus J Zrs Reactance In Ohms:

# NSN 5990-00-644-0096

Differential Transmitter Synchro - Page 3 of 3



#### **Shaft Thread Size:**

0.250 inches single shaft

#### **Test Data Document:**

81349-mil-s-17245 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

### **Terminal Type And Quantity:**

7 screw

Shelf Life:

N/a

**Unit Of Measure:** 

\_\_

Demilitarization:

Yes - demil/mli

Fiig:

A07800