

View Online at <https://aerobasegroup.com/nsn/5990-00-655-2379>

**Body Material:**

Steel, corrosion resisting

**Body Style:**

Standard round c

**Shoulder Diameter:**

Between 1.3115 inches and 1.3120 inches

**Pilot Diameter:**

Between 0.8745 inches and 0.8750 inches

**Overall Length:**

2.4790 inches

**Flange Diameter:**

Between 1.4360 inches and 1.4370 inches

**Flange Thickness:**

0.0930 inches

**Undercut Diameter:**

1.3120 inches

**Undercut Width:**

0.0780 inches

**Shaft Diameter:**

0.1870 inches single shaft

**Shaft Length:**

0.5400 inches single shaft

**Body Size:**

15

**Stator Input Voltage Rating In Volts:**

60.0

**Stator Input Current Rating:**

45.0 milliamperes

**Frequency In Hertz:**

400.0

**Rotor Dc Resistance In Ohms:**

200.00

**Stator Dc Resistance In Ohms:**

295.00

**Compensation Method:**

Winding compensated

**Compensator Dc Resistance In Ohms:**

295.00

**Phase Shift Angle In Deg:**

6.000 input to output

**Maximum Total Null Voltage Output In Millivolts Per Volt:**

20.00

**Electrical Error Angular Range In Minutes:**

-5.0/+5.0

**Spline Tooth Quantity:**

21 single shaft

**Alignment Hole Quantity:**

4

**Pilot Length:**

0.0400 inches

**Shoulder Length:**

0.1320 inches

**Mounting Surface To Terminal End Distance:**

1.9540 inches

**Spline Tooth Diametral Pitch:**

120 single shaft

**Terminal Location:**

Rear

**Shaft Type:**

Spline single shaft

**Alignment Hole Depth:**

0.1250 inches

**Transformation Ratio:**

0.980 rotor to stator

**Alignment Hole Bolt Circle Diameter:**

1.0000 inches

**Terminal Type And Quantity:**

12 screw

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A07800