NSN 5990-00-677-6507

Transmitter Synchro - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5990-00-677-6507

Body Material:
Steel, stainless
Body Style:
Standard round double flange a
Shoulder Diameter:
3.3340 inches
Pilot Diameter:
1.6250 inches
Second Shoulder Diameter:
3.3750 inches
Second Shoulder Length:
0.3750 inches
Overall Length:
5.9500 inches
Flange Diameter:
3.6250 inches
Flange Thickness:
0.2500 inches
Body Diameter:
3.3900 inches
Shaft Diameter:
0.2500 inches single shaft
Shaft Length:
0.6700 inches single shaft
Distance Between Flanges:
1.8125 inches
Securing Hole Quantity:
3
Body Size:
37
Rotor Input Voltage Rating In Volts:
115.0
Frequency In Hertz:
60.0
Rotor Input Current Rating:
830.0 milliamperes
Rotor Input Electrical Power Rating:
9.2 watts
Phase Shift Angle In Deg:
3.000 input to output
Electrical Error Angular Range In Minutes:
-10.0/+10.0

NSN 5990-00-677-6507

Transmitter Synchro - Page 2 of 2



Spline Tooth Quantity:
22 single shaft
Torque Gradient Per Angular Deg:
0.900 inch-ounces
Pilot Length:
0.0300 inches
Shoulder Length:
0.6550 inches
Aft Of Second Flange Diameter:
3.3340 inches
Spline Tooth Diametral Pitch:
96 single shaft
Shaft Thread Series Designator:
Unf single shaft
Shaft Thread Direction:
Right-hand single shaft
Mounting Facility Screw Thread Series Designator:
Unc
Terminal Location:
Rear
Shaft Thread Length:
0.3100 inches single shaft
Shaft Type:
Spline w/threads single shaft
Mounting Facility Screw Thread Diameter:
0.1385 inches
Transformation Ratio:
0.783 rotor to stator
Shaft Thread Size:
0.2405 inches single shaft
Terminal Type And Quantity:
5 screw
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A07800