NSN 5990-00-683-0589

Transmitter Synchro - Page 1 of 3

Body Material: Aluminum



View Online at https://aerobasegroup.com/nsn/5990-00-683-0589

Body Style:
Standard round c
Shoulder Diameter:
Between 1.3115 inches and 1.3120 inches
Pilot Diameter:
Between 0.4995 inches and 0.5000 inches
Overall Length:
2.4440 inches
Flange Diameter:
Between 1.4360 inches and 1.4370 inches
Flange Thickness:
0.0930 inches
Undercut Diameter:
1.3120 inches
Undercut Width:
0.0780 inches
Shaft Diameter:
0.1195 inches both shafts and 0.1200 inches both shafts
Shaft Length:
0.4780 inches front shaft
Body Size:
Body Size: 15
•
15
15 Rotor Input Voltage Rating In Volts:
Rotor Input Voltage Rating In Volts: 26.0
Rotor Input Voltage Rating In Volts: 26.0 Frequency In Hertz:
Rotor Input Voltage Rating In Volts: 26.0 Frequency In Hertz: 400.0
Rotor Input Voltage Rating In Volts: 26.0 Frequency In Hertz: 400.0 Rotor Input Current Rating:
Rotor Input Voltage Rating In Volts: 26.0 Frequency In Hertz: 400.0 Rotor Input Current Rating: 220.0 milliamperes
Rotor Input Voltage Rating In Volts: 26.0 Frequency In Hertz: 400.0 Rotor Input Current Rating: 220.0 milliamperes Rotor Input Electrical Power Rating:
Rotor Input Voltage Rating In Volts: 26.0 Frequency In Hertz: 400.0 Rotor Input Current Rating: 220.0 milliamperes Rotor Input Electrical Power Rating: 1.2 watts
Rotor Input Voltage Rating In Volts: 26.0 Frequency In Hertz: 400.0 Rotor Input Current Rating: 220.0 milliamperes Rotor Input Electrical Power Rating: 1.2 watts Zro Resistance In Ohms:
Rotor Input Voltage Rating In Volts: 26.0 Frequency In Hertz: 400.0 Rotor Input Current Rating: 220.0 milliamperes Rotor Input Electrical Power Rating: 1.2 watts Zro Resistance In Ohms: 19.00
Rotor Input Voltage Rating In Volts: 26.0 Frequency In Hertz: 400.0 Rotor Input Current Rating: 220.0 milliamperes Rotor Input Electrical Power Rating: 1.2 watts Zro Resistance In Ohms: 19.00 Zso Resistance In Ohms:
Rotor Input Voltage Rating In Volts: 26.0 Frequency In Hertz: 400.0 Rotor Input Current Rating: 220.0 milliamperes Rotor Input Electrical Power Rating: 1.2 watts Zro Resistance In Ohms: 19.00 Zso Resistance In Ohms: 4.70
Rotor Input Voltage Rating In Volts: 26.0 Frequency In Hertz: 400.0 Rotor Input Current Rating: 220.0 milliamperes Rotor Input Electrical Power Rating: 1.2 watts Zro Resistance In Ohms: 19.00 Zso Resistance In Ohms: 4.70 Zrs Resistance In Ohms:
Rotor Input Voltage Rating In Volts: 26.0 Frequency In Hertz: 400.0 Rotor Input Current Rating: 220.0 milliamperes Rotor Input Electrical Power Rating: 1.2 watts Zro Resistance In Ohms: 19.00 Zso Resistance In Ohms: 4.70 Zrs Resistance In Ohms:
Rotor Input Voltage Rating In Volts: 26.0 Frequency In Hertz: 400.0 Rotor Input Current Rating: 220.0 milliamperes Rotor Input Electrical Power Rating: 1.2 watts Zro Resistance In Ohms: 19.00 Zso Resistance In Ohms: 4.70 Zrs Resistance In Ohms: 21.00 Zso-9 Designator Resistance In Ohms:

NSN 5990-00-683-0589

Transmitter Synchro - Page 2 of 3



Stator Dc Resistance In Ohms:						
3.60						
Phase Shift Angle In Deg:						
3.900 input to output						
Maximum Total Null Voltage Output In Millivolts Per Volt:						
20.00						
Electrical Error Angular Range In Minutes:						
-10.0/+10.0						
Actuator Friction Torque At Minus 55 Deg Celsius:						
30.0 centimeter-grams						
Actuator Friction Torque At Plus 25 Deg Celsius:						
10.0 centimeter-grams						
Alignment Hole Quantity:						
4						
Pilot Length:						
0.0400 inches						
Shoulder Length:						
0.1320 inches						
Mounting Surface To Terminal End Distance:						
1.5910 inches						
Terminal Location:						
Rear						
Plus J Zro Reactance In Ohms:						
112.00						
Shaft Slot Depth:						
0.0210 inches both shafts and 0.0310 inches both shafts						
Plus J Zso Reactance In Ohms:						
19.00						
Shaft Slot Width:						
0.0210 inches both shafts and 0.0310 inches both shafts						
Plus J Zrs Reactance In Ohms:						
13.00						
Shaft Type:						
Round, slotted both shafts						
Alignment Hole Depth:						
0.1250 inches						
Alignment Hole Bolt Circle Diameter:						
0.8750 inches						
Plus J Zso-9 Designator Reactance In Ohms:						
5.70						
Terminal Type And Quantity:						
5 wire lead						
Shelf Life:						
OHOH EIIG.						

N/a

NSN 5990-00-683-0589

Transmitter Synchro - Page 3 of 3



ın	1+	<i>(</i>)+	Measure	•

--

Demilitarization:

No

Fiig:

A07800