## NSN 5990-00-723-2482

Electrical Resolver - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/5990-00-723-2482

**Body Material:** Any acceptable **Body Style:** Standard round c **Shoulder Diameter:** Between 0.9995 inches and 1.0000 inches **Pilot Diameter:** Between 0.6245 inches and 0.6250 inches **Overall Length:** Between 2.2880 inches and 2.3260 inches Flange Diameter: Between 1.0570 inches and 1.0650 inches Flange Thickness: Between 0.0900 inches and 0.0960 inches **Undercut Diameter:** 0.9750 inches **Undercut Width:** 0.0500 inches **Shaft Diameter:** 0.1245 inches single shaft and 0.1247 inches single shaft **Shaft Length:** 0.3260 inches single shaft and 0.3500 inches single shaft **Securing Hole Quantity: Body Size:** 11 **Rotor Input Voltage Rating In Volts:** 29.0 Frequency In Hertz: 400.0 **Zro Resistance In Ohms:** Between 412.25 and 557.75 **Zso Resistance In Ohms:** Between 363.80 and 472.20 **Rotor Dc Resistance In Ohms:** Between 263.50 and 356.50 Stator Dc Resistance In Ohms: Between 289.00 and 391.00 **Compensation Method:** Winding compensated **Compensator Dc Resistance In Ohms:** 

Between 318.75 and 431.25

## NSN 5990-00-723-2482

Electrical Resolver - Page 2 of 3



## Phase Shift Angle In Deg: Between 5.500 input to output and 11.500 input to output Maximum Total Null Voltage Output In Millivolts Per Volt: 0.70 **Output Voltage Functional Error Range In Percent:** -0.1/+0.0 **Electrical Error Angular Range In Minutes:** -5.0/+5.0 **Actuator Friction Torque At Minus 55 Deg Celsius:** 16.0 centimeter-grams **Actuator Friction Torque At Plus 25 Deg Celsius:** 4.0 centimeter-grams Pilot Length: 0.0590 mils and 0.0650 centimeters **Shoulder Length:** 0.0590 mils and 0.0650 centimeters **Mounting Surface To Terminal End Distance:** 1.9700 inches **Mounting Facility Screw Thread Series Designator:** Unc **Terminal Location:** Rear Plus J Zro Reactance In Ohms: 1717.00 Plus J Zso Reactance In Ohms: Between 1725.50 and 2304.50 **Shaft Type:** Round single shaft **Alignment Hole Depth:** 2323.0000 inches **Mounting Facility Screw Thread Diameter:** 0.112 inches **Transformation Ratio:** Between 0.963 rotor to stator and 0.987 rotor to stator **Alignment Hole Bolt Circle Diameter:** 0.8150 inches **Terminal Type And Quantity:** 12 screw Shelf Life: N/a **Unit Of Measure:**

No

Demilitarization:

## NSN 5990-00-723-2482

Electrical Resolver - Page 3 of 3



Fiig:

A07800