

View Online at <https://aerobasegroup.com/nsn/5990-00-725-6186>

**Body Material:**

Steel, stainless

**Body Style:**

Standard round a

**Pilot Diameter:**

Between 0.4995 inches and 0.5000 inches

**Overall Length:**

Between 2.7610 inches and 2.7850 inches

**Flange Diameter:**

0.7500 inches

**Flange Thickness:**

0.0620 inches

**Undercut Diameter:**

0.6870 inches

**Undercut Width:**

0.0620 inches

**Shaft Diameter:**

0.1195 inches single shaft and 0.1200 inches single shaft

**Shaft Length:**

0.4610 inches single shaft and 0.4850 inches single shaft

**Body Size:**

8

**Stator Input Voltage Rating In Volts:**

11.8

**Stator Input Current Rating:**

31.0 milliamperes

**Stator Input Electrical Power Rating:**

600.0 milliwatts

**Frequency In Hertz:**

400.0

**Zro Resistance In Ohms:**

640.00

**Zso Resistance In Ohms:**

93.00

**Rotor Dc Resistance In Ohms:**

550.00

**Stator Dc Resistance In Ohms:**

100.00

**Phase Shift Angle In Deg:**

13.500 input to output

**Maximum Fundamental Null Voltage In Millivolts Per Volt:**

20.00 output

**Electrical Error Angular Range In Minutes:**

-5.0/+5.0

**Actuator Friction Torque At Minus 55 Deg Celsius:**

0.40 inch-ounces

**Actuator Friction Torque At Plus 25 Deg Celsius:**

0.18 inch-ounces

**Pilot Length:**

0.0430 inches

**Mounting Surface To Terminal End Distance:**

2.1050 inches

**Terminal Location:**

Rear and side

**Plus J Zro Reactance In Ohms:**

1980.00

**Shaft Slot Depth:**

0.0250 inches single shaft

**Plus J Zso Reactance In Ohms:**

349.00

**Shaft Slot Width:**

0.0200 inches single shaft

**Shaft Type:**

Round, slotted single shaft

**Transformation Ratio:**

2.203 rotor to stator

**Terminal Type And Quantity:**

5 turret

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A07800