NSN 5990-00-725-7813



Control Transformer Synchro - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5990-00-725-7813 **Body Material:** Steel, stainless **Body Style:** Standard round c **Shoulder Diameter:** Between 0.9995 inches and 1.0000 inches **Pilot Diameter:** Between 0.4995 inches and 0.5000 inches **Overall Length:** 1.9750 inches Flange Diameter: Between 1.0610 inches and 1.0620 inches Flange Thickness: 0.0620 inches **Undercut Diameter:** 0.9750 inches **Undercut Width:** 0.0810 inches **Shaft Diameter:** 0.1195 inches single shaft and 0.1200 inches single shaft **Shaft Length:** 0.5000 inches single shaft **Body Size:** 11 **Stator Input Voltage Rating In Volts:** 90.0 **Stator Input Current Rating:** 17.0 milliamperes **Stator Input Electrical Power Rating:** 310.0 milliwatts Frequency In Hertz: 400.0 **Zro Resistance In Ohms:** 680.00 **Zso Resistance In Ohms:** 1050.00 Stator Dc Resistance In Ohms: 645.00 Phase Shift Angle In Deg: 6.000 input to output

Maximum Total Null Voltage Output In Millivolts Per Volt:

100.00

NSN 5990-00-725-7813 Control Transformer Synchro - Page 2 of 2



Electrical Error Angular Range In Minutes:
12.0/+12.0
Actuator Friction Torque At Minus 55 Deg Celsius:
5.0 centimeter-grams
Actuator Friction Torque At Plus 25 Deg Celsius:
3.0 centimeter-grams
Pilot Length:
0.0620 inches
Shoulder Length:
0.0620 inches
Mounting Surface To Terminal End Distance:
1.6000 inches
Terminal Location:
Rear
Plus J Zro Reactance In Ohms:
2670.00
Shaft Slot Depth:
0.0220 inches single shaft and 0.0320 inches single shaft
Plus J Zso Reactance In Ohms:
60.00
Shaft Slot Width:
0.0220 inches single shaft and 0.0320 inches single shaft
Shaft Type:
Round, slotted single shaft
Terminal Type And Quantity:
5 wire lead
Shelf Life:
N/a
Unit Of Measure:
.
Demilitarization:
No
Fiig:
407800