

View Online at <https://aerobasegroup.com/nsn/5990-00-733-9262>

**Body Material:**

Steel, stainless

**Body Style:**

Standard round c

**Shoulder Diameter:**

Between 1.3115 inches and 1.3120 inches

**Pilot Diameter:**

Between 0.4995 inches and 0.5000 inches

**Overall Length:**

2.1400 inches

**Flange Diameter:**

Between 1.4360 inches and 1.4370 inches

**Flange Thickness:**

0.0930 inches

**Undercut Diameter:**

1.3120 inches

**Undercut Width:**

0.0780 inches

**Shaft Diameter:**

0.1195 inches single shaft and 0.1200 inches single shaft

**Shaft Length:**

0.5400 inches single shaft

**Body Size:**

15

**Stator Input Voltage Rating In Volts:**

23.0

**Stator Input Current Rating:**

195.0 milliamperes

**Stator Input Electrical Power Rating:**

690.0 milliwatts

**Frequency In Hertz:**

1000.0

**Stator Dc Resistance In Ohms:**

3.500

**Phase Shift Angle In Deg:**

1.700 input to output

**Maximum Total Null Voltage Output In Millivolts Per Volt:**

1.00

**Electrical Error Angular Range In Minutes:**

-10.0/+10.0

**Actuator Friction Torque At Minus 55 Deg Celsius:**

6.0 centimeter-grams

**Actuator Friction Torque At Plus 25 Deg Celsius:**

3.0 centimeter-grams

**Pilot Length:**

0.0400 inches

**Shoulder Length:**

0.1320 inches

**Mounting Surface To Terminal End Distance:**

1.6000 inches

**Terminal Location:**

Rear

**Shaft Slot Depth:**

0.0220 inches single shaft and 0.0320 inches single shaft

**Plus J Zso Reactance In Ohms:**

116.00

**Shaft Slot Width:**

0.0220 inches single shaft and 0.0320 inches single shaft

**Shaft Type:**

Round, slotted single shaft

**Transformation Ratio:**

1.970 rotor to stator

**Terminal Type And Quantity:**

7 wire lead

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A07800