NSN 5990-00-778-9883

Receiver Synchro - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/5990-00-778-9883

Body Material:

Any acceptable

Body Style:

Standard round c

Shoulder Diameter:

Between 0.9995 inches and 1.0000 inches

Pilot Diameter:

Between 0.6245 inches and 0.6250 inches

Overall Length:

Between 0.2317 inches and 0.2341 inches

Flange Diameter:

Between 1.0570 inches and 1.0650 inches

Flange Thickness:

Between 0.0900 inches and 0.0960 inches

Undercut Diameter:

Between 0.9700 inches and 0.9800 inches

Undercut Width:

Between 0.0450 inches and 0.0550 inches

Shaft Diameter:

0.1195 inches single shaft and 0.1200 inches single shaft

Shaft Length:

0.5590 inches single shaft and 0.5650 inches single shaft

Maximum Tempurature Rise:

15.0 degrees celsius

Body Size:

11

Rotor Input Voltage Rating In Volts:

115.0

Frequency In Hertz:

400.0

Rotor Input Current Rating:

60.0 milliamperes

Rotor Input Electrical Power Rating:

800.0 milliwatts

Zro Resistance In Ohms:

295.00

Zso Resistance In Ohms:

171.00

Zrs Resistance In Ohms:

356.00

Zso-9 Designator Resistance In Ohms:

113.00

NSN 5990-00-778-9883

Receiver Synchro - Page 2 of 3



Zro Impedance Magnitude In Ohms: 2210.00 **Zro Impedance Angle In Deg:** 82.30 **Zso Impedance Magnitude In Ohms:** 1130.00 Zso Impedance Angle In Deg: 81.30 **Zrs Impedance Magnitude In Ohms:** 395.00 Zrs Impedance Angle In Deg: 25.80 **Zso-9 Designator Impedance Magnitude In Ohms:** 354.00 Zso-9 Designator Impedance Angle In Deg: 71.30 **Rotor Dc Resistance In Ohms:** Between 135.15 and 182.85 Stator Dc Resistance In Ohms: Between 116.45 and 157.55 **Electrical Error Angular Range In Minutes:** -30.0/+30.0 **Actuator Friction Torque At Minus 55 Deg Celsius:** 3.0 centimeter-grams **Actuator Friction Torque At Plus 25 Deg Celsius:** 0.3 centimeter-grams **Torque Gradient Per Angular Deg:** 5700.0 millimeter-milligrams **Pilot Length:** Between 0.0590 inches and 0.0650 inches **Shoulder Length:** Between 0.0590 inches and 0.0650 inches **Mounting Surface To Terminal End Distance:** Between 1.7620 inches and 1.7680 inches **Terminal Location:** Rear Plus J Zro Reactance In Ohms: 2190.00 **Shaft Slot Depth:** 0.0300 inches single shaft Plus J Zso Reactance In Ohms:

1120.00

Shaft Slot Width:

0.0250 inches single shaft

NSN 5990-00-778-9883

Receiver Synchro - Page 3 of 3



Plus J Zrs Reactance In Ohms:
172.00
Shaft Type:
Round, slotted single shaft
Transformation Ratio:
Between 0.752 rotor to stator and 0.814 rotor to stator
Plus J Zso-9 Designator Reactance In Ohms:
335.00
Terminal Type And Quantity:
5 wire lead
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiin·

A07800