NSN 5990-00-811-5227

Differential Transmitter Synchro - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/5990-00-811-5227

Body Material: Steel, stainless **Body Style:** Standard round d **Shoulder Diameter:** Between 1.9850 inches and 1.9900 inches **Pilot Diameter:** Between 0.5999 inches and 0.6000 inches **Second Shoulder Diameter:** Between 1.9985 inches and 1.9995 inches **Second Shoulder Length:** Between 0.1680 inches and 0.1700 inches **Overall Length:** 4.5440 inches Flange Diameter: Between 2.2490 inches and 2.2500 inches Flange Thickness: Between 2.2480 inches and 2.2500 inches **Body Diameter:** Between 1.9850 inches and 1.9900 inches Shaft Diameter: 0.2500 inches single shaft **Shaft Length:** 0.6930 inches single shaft **Maximum Tempurature Rise:** 45.0 degrees celsius **Body Size:** 23 **Stator Input Voltage Rating In Volts:** 90.0 **Stator Input Current Rating:** 270.0 milliamperes **Stator Input Electrical Power Rating:** 2.8 watts Frequency In Hertz: 400.0 **Zro Resistance In Ohms:** 41.40 **Zso Resistance In Ohms:**

36.50

Zrs Resistance In Ohms:

31.30

NSN 5990-00-811-5227

Differential Transmitter Synchro - Page 2 of 3



Maximum Fundamental Null Voltage In Millivolts Per Volt: 50.00 output Maximum Total Null Voltage Output In Millivolts Per Volt: **Electrical Error Angular Range In Minutes:** -8.0/+8.0 **Spline Tooth Quantity:** 22 single shaft **Actuator Friction Torque At Minus 55 Deg Celsius:** 0.50 inch-ounces **Actuator Friction Torque At Plus 25 Deg Celsius:** 0.20 inch-ounces **Alignment Hole Quantity:** 3 Pilot Length: Between 0.0360 inches and 0.0460 inches **Shoulder Length:** 0.2500 inches Aft Of First Flange Diameter: Between 1.9985 inches and 1.9995 inches **Mounting Surface To Terminal End Distance:** 3.4450 inches **Spline Tooth Diametral Pitch:** 96 single shaft **Shaft Thread Series Designator:** Unf single shaft **Shaft Thread Direction:** Right-hand single shaft **Shaft Thread Class:** 2a **Terminal Location:** Rear **Shaft Thread Length:** 0.2660 inches single shaft Plus J Zro Reactance In Ohms: 314.00 Plus J Zso Reactance In Ohms: 80.00 Plus J Zrs Reactance In Ohms: 29.70 **Shaft Type:**

0.1250 inches

Spline w/threads single shaft

Alignment Hole Depth:

NSN 5990-00-811-5227

Transformation Ratio:

Differential Transmitter Synchro - Page 3 of 3



1.154 rotor to stator
Alignment Hole Bolt Circle Diameter:
1.6420 inches
Shaft Thread Size:
0.250 inches single shaft
Test Data Document:
81349-mil-s-20708 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Terminal Type And Quantity:
7 screw
Specification Data:
81349-mil-s-20708/94 government specification
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A07800