

View Online at <https://aerobasegroup.com/nsn/5990-00-828-1771>

Body Material:

Aluminum alloy

Body Style:

Standard round c

Shoulder Diameter:

Between 0.8118 inches and 0.8123 inches

Pilot Diameter:

Between 0.4995 inches and 0.5000 inches

Overall Length:

1.6210 inches

Flange Diameter:

Between 0.9360 inches and 0.9370 inches

Flange Thickness:

0.0620 inches

Undercut Diameter:

Between 0.8350 inches and 0.8400 inches

Undercut Width:

0.0620 inches

Shaft Diameter:

0.0895 inches single shaft and 0.0900 inches single shaft

Shaft Length:

0.3300 inches single shaft

Body Size:

10

Rotor Input Voltage Rating In Volts:

115.0

Frequency In Hertz:

400.0

Rotor Input Current Rating:

45.0 milliamperes

Rotor Input Electrical Power Rating:

950.0 milliwatts

Zro Resistance In Ohms:

591.00

Zso Resistance In Ohms:

6.54

Zrs Resistance In Ohms:

707.00

Rotor Dc Resistance In Ohms:

309.00

Stator Dc Resistance In Ohms:

4.66

Phase Shift Angle In Deg:

4.700 input to output

Actuator Friction Torque At Minus 55 Deg Celsius:

10000.0 millimeter-milligrams

Torque Gradient Per Angular Deg:

3200.0 millimeter-milligrams

Alignment Hole Quantity:

3

Pilot Length:

0.0380 inches

Shoulder Length:

0.0630 inches

Mounting Surface To Terminal End Distance:

1.2410 inches

Terminal Location:

Rear

Plus J Zro Reactance In Ohms:

3510.00

Plus J Zso Reactance In Ohms:

29.70

Plus J Zrs Reactance In Ohms:

278.00

Shaft Type:

Round single shaft

Alignment Hole Depth:

0.0730 inches

Alignment Hole Bolt Circle Diameter:

0.6780 inches

Terminal Type And Quantity:

5 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A07800