

View Online at <https://aerobasegroup.com/nsn/5990-00-829-2588>

**Body Material:**

Steel, corrosion resisting

**Body Style:**

Standard round c

**Shoulder Diameter:**

Between 0.9995 inches and 1.0000 inches

**Pilot Diameter:**

Between 0.6245 inches and 0.6250 inches

**Overall Length:**

1.0570 inches

**Flange Diameter:**

Between 1.0590 inches and 1.0620 inches

**Flange Thickness:**

0.0930 inches

**Undercut Diameter:**

0.9750 inches

**Undercut Width:**

0.0500 inches

**Shaft Diameter:**

0.1195 inches single shaft and 0.1200 inches single shaft

**Shaft Length:**

0.4370 inches single shaft

**Fragility Factor:**

Moderately rugged

**Body Size:**

11

**Rotor Input Voltage Rating In Volts:**

26.0

**Frequency In Hertz:**

400.0

**Rotor Input Current Rating:**

220.0 milliamperes

**Rotor Input Electrical Power Rating:**

1.0 watts

**Zro Resistance In Ohms:**

20.80

**Zso Resistance In Ohms:**

6.40

**Zrs Resistance In Ohms:**

25.00

**Rotor Dc Resistance In Ohms:**

8.00

**Stator Dc Resistance In Ohms:**

4.10

**Phase Shift Angle In Deg:**

2.500 input to output

**Torque Gradient Per Angular Deg:**

4400.0 millimeter-milligrams

**Alignment Hole Quantity:**

4

**Pilot Length:**

0.0620 inches

**Shoulder Length:**

0.0620 inches

**Mounting Surface To Terminal End Distance:**

1.6200 inches

**Terminal Location:**

Rear

**Plus J Zro Reactance In Ohms:**

116.00

**Plus J Zso Reactance In Ohms:**

20.00

**Shaft Tapered End Minor Diameter:**

0.1090 inches single shaft and 0.1100 inches single shaft

**Plus J Zrs Reactance In Ohms:**

12.00

**Shaft Type:**

Round, tapered single shaft

**Alignment Hole Depth:**

0.0900 inches

**Shaft Taper Angle In Deg:**

3.0 single shaft

**Alignment Hole Bolt Circle Diameter:**

0.8120 inches

**Shaft Taper Length:**

0.1450 inches single shaft

**Terminal Type And Quantity:**

4 wire lead

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A07800