NSN 5990-00-877-9838

Control Transformer Synchro - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5990-00-877-9838 **Body Material:** Steel, corrosion resisting **Body Style:** Standard round a **Pilot Diameter:** Between 0.4995 inches and 0.5000 inches **Overall Length:** 1.6420 inches Flange Diameter: Between 0.7490 inches and 0.7500 inches Flange Thickness: 0.0620 inches **Undercut Diameter:** Between 0.6880 inches and 0.6910 inches **Undercut Width:** 0.0620 inches **Shaft Diameter:** 0.1195 inches single shaft and 0.1200 inches single shaft **Shaft Length:** 0.3520 inches single shaft **Body Size:** 8 **Stator Input Voltage Rating In Volts:** 11.8 **Stator Input Current Rating:** 7.0 milliamperes **Stator Input Electrical Power Rating:** 30.0 milliwatts Frequency In Hertz: 400.0 **Zso Resistance In Ohms:** 610.00 Phase Shift Angle In Deg: 14.500 input to output Maximum Fundamental Null Voltage In Millivolts Per Volt: 25.00 output Maximum Total Null Voltage Output In Millivolts Per Volt: 40.00 **Electrical Error Angular Range In Minutes:**

-8.0/+8.0 Pilot Length: 0.0400 inches

NSN 5990-00-877-9838 Control Transformer Synchro - Page 2 of 2



Mounting Surface To Terminal End Distance:	
1.2900 inches	
Terminal Location:	
Rear	
Shaft Slot Depth:	
0.0300 inches single shaft	
Plus J Zso Reactance In Ohms:	
1565.00	
Shaft Slot Width:	
0.0170 inches single shaft and 0.0320 inches single shaft	
Shaft Type:	
Round, slotted single shaft	
Terminal Type And Quantity:	
5 wire lead	
Shelf Life:	
N/a	
Unit Of Measure:	
.	
Demilitarization:	
No	
Filg:	
407800	