NSN 5990-00-890-3822

Control Transformer Synchro - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5990-00-890-3822 **Body Material:** Steel, corrosion resisting **Body Style:** Standard round a **Pilot Diameter:** Between 0.4995 inches and 0.5000 inches **Overall Length:** 1.7210 inches Flange Diameter: Between 0.7490 inches and 0.7500 inches Flange Thickness: 0.0620 inches **Undercut Diameter:** Between 0.6880 inches and 0.6910 inches **Undercut Width:** 0.0620 inches **Shaft Diameter:** 0.0900 inches single shaft **Shaft Length:** 0.4810 inches single shaft **Fragility Factor:** Moderately rugged **Body Size: Stator Input Voltage Rating In Volts:** 10.2 **Stator Input Current Rating:** 40.0 milliamperes **Stator Input Electrical Power Rating:** 90.0 milliwatts Frequency In Hertz: **Electrical Error Angular Range In Minutes:** -7.0/+7.0 **Pilot Length:** 0.0400 inches **Mounting Surface To Terminal End Distance:** 1.2400 inches **Terminal Location:** Rear **Shaft Slot Depth:**

0.0250 inches single shaft

NSN 5990-00-890-3822

Control Transformer Synchro - Page 2 of 2



C L	ıaft	 4	1/1		44	
JI.	ıαιι	 IΟL	٧v	IU	u	١.

0.0200 inches single shaft

Shaft Type:

Round, slotted single shaft

Transformation Ratio:

2.200 rotor to stator

Terminal Type And Quantity:

5 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A07800