## NSN 5990-00-892-5537

Differential Transmitter Synchro - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/5990-00-892-5537

**Body Material:** Steel, stainless **Body Style:** Standard round d **Shoulder Diameter:** Between 1.9850 inches and 1.9900 inches **Pilot Diameter:** 0.5950 inches **Second Shoulder Diameter:** Between 1.9985 inches and 1.9995 inches **Second Shoulder Length:** 0.1700 inches **Overall Length:** 4.5490 inches Flange Diameter: Between 2.2490 inches and 2.2500 inches Flange Thickness: 0.2500 inches **Body Diameter:** 1.9900 inches **Shaft Diameter:** 0.2403 inches single shaft and 0.2405 inches single shaft **Shaft Length:** 0.7190 inches single shaft **Fragility Factor:** Moderately rugged **Maximum Tempurature Rise:** 20.0 degrees celsius **Body Size:** 23 **Stator Input Voltage Rating In Volts: Stator Input Current Rating:** 90.0 milliamperes **Stator Input Electrical Power Rating:** 1.4 watts Frequency In Hertz: 60.0 **Zso Impedance Magnitude In Ohms:** Between 867.00 and 1100.00

**Zso Impedance Angle In Deg:** Between 75.00 and 79.00

## NSN 5990-00-892-5537

Differential Transmitter Synchro - Page 2 of 3



Zrs Impedance Magnitude In Ohms:
Between 448.00 and 550.00
Zrs Impedance Angle In Deg:
Between 14.50 and 23.00
Phase Shift Angle In Deg:
11.000 input to output
Maximum Fundamental Null Voltage In Millivolts Per Volt:
40.00 output
Maximum Total Null Voltage Output In Millivolts Per Volt:
65.00
Electrical Error Angular Range In Minutes:
-8.0/+8.0
Spline Tooth Quantity:
22 single shaft
Torque Gradient Per Angular Deg:
0.200 inch-ounces
Pilot Length:
0.0430 inches
Shoulder Length:
0.2500 inches
Aft Of First Flange Diameter:
Between 1.9985 inches and 1.9995 inches
Mounting Surface To Terminal End Distance:
3.8300 inches
Spline Tooth Diametral Pitch:
96 single shaft
Shaft Thread Series Designator:
Unf single shaft
Shaft Thread Direction:
Right-hand single shaft
Shaft Thread Class:
2a
Terminal Location:
Rear
Shaft Thread Length:
0.2900 inches single shaft
Shaft Type:
Spline w/threads single shaft
Transformation Ratio:
1.154 rotor to stator
Shaft Thread Size:

**Test Data Document:** 

0.250 inches single shaft

81349-mil-s-20708 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain

## NSN 5990-00-892-5537 Differential Transmitter Synchro - Page 3 of 3



Terminal Type And Quantity:
5 screw
Specification Data:
81349-mil-s-20708/54 government specification
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A07800