## NSN 5990-00-896-8930

Control Transformer Synchro - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/5990-00-896-8930

**Body Material:** Steel, stainless **Body Style:** Standard round c **Shoulder Diameter:** Between 0.9995 inches and 1.0000 inches **Pilot Diameter:** Between 0.6245 inches and 0.6250 inches **Overall Length:** Between 1.9984 inches and 2.0306 inches Flange Diameter: Between 1.0590 inches and 1.0620 inches Flange Thickness: 0.0930 inches **Undercut Diameter:** Between 0.9700 inches and 0.9750 inches **Undercut Width:** 0.0500 inches **Shaft Diameter:** 0.1200 inches single shaft **Shaft Length:** 0.3594 inches single shaft and 0.3906 inches single shaft **Securing Hole Quantity: Body Size:** 11 **Stator Input Voltage Rating In Volts: Stator Input Current Rating:** 17.0 milliamperes **Stator Input Electrical Power Rating:** 400.0 milliwatts Frequency In Hertz: 400.0 **Zro Resistance In Ohms:** 707.00 **Zso Resistance In Ohms:** 876.00 **Zrs Resistance In Ohms:** 637.00 **Rotor Dc Resistance In Ohms:** 

370.00

## NSN 5990-00-896-8930

Control Transformer Synchro - Page 2 of 3



Stator Dc Resistance In Ohms:

602.00

Phase Shift Angle In Deg:

1.000 input to output

Maximum Total Null Voltage Output In Millivolts Per Volt:

94.00

**Electrical Error Angular Range In Minutes:** 

-7.0/+7.0

**Actuator Friction Torque At Minus 55 Deg Celsius:** 

15.0 centimeter-grams

**Actuator Friction Torque At Plus 25 Deg Celsius:** 

3.0 centimeter-grams

Pilot Length:

Between 0.0590 inches and 0.0650 inches

**Shoulder Length:** 

Between 0.0590 inches and 0.0650 inches

**Mounting Surface To Terminal End Distance:** 

1.6400 inches

**Mounting Facility Screw Thread Series Designator:** 

**Terminal Location:** 

Rear

Unc

Plus J Zro Reactance In Ohms:

3194.00

**Shaft Slot Depth:** 

0.0300 inches single shaft

Plus J Zso Reactance In Ohms:

4580.00

**Shaft Slot Width:** 

0.0310 inches single shaft

Plus J Zrs Reactance In Ohms:

324.00

**Shaft Type:** 

Round, slotted single shaft

**Alignment Hole Depth:** 

0.1250 inches

**Mounting Facility Screw Thread Diameter:** 

0.112 inches

**Transformation Ratio:** 

0.735 rotor to stator

Alignment Hole Bolt Circle Diameter:

Between 0.8090 inches and 0.8150 inches

**Terminal Type And Quantity:** 

5 wire lead

## NSN 5990-00-896-8930

Control Transformer Synchro - Page 3 of 3



_					
٠.	n	_	I+	18	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A07800