NSN 5990-00-898-1393

Receiver-transmitter Synchro - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/5990-00-898-1393 **Body Material:** Steel, stainless **Body Style:** Standard round d **Shoulder Diameter:** Between 2.6950 inches and 2.7000 inches **Pilot Diameter:** 0.3000 inches **Second Shoulder Diameter:** Between 2.7490 inches and 2.7500 inches **Second Shoulder Length:** 0.3750 inches **Overall Length:** 5.1000 inches Flange Diameter: Between 3.0990 inches and 3.1000 inches Flange Thickness: 0.2500 inches **Body Diameter:** 2.7000 inches **Shaft Diameter:** 0.2403 inches single shaft and 0.2405 inches single shaft **Shaft Length:** 0.7300 inches single shaft **Fragility Factor:** Moderately rugged **End Application:** 5forrestal class cv; sturgeon class ssn (637); los angeles class ssn (688); ticonderoga class cg (47); gun fire control system, mk 68; nimitz class cvn; spruance class dd (963); virginia class cgn (41); wmis, wind measuring and indicating systems **Maximum Tempurature Rise:** 60.0 degrees celsius **Body Size:** 31 **Rotor Input Voltage Rating In Volts:** 115.0 Frequency In Hertz: 400.0

Rotor Input Current Rating:

1.7 amperes

Rotor Input Electrical Power Rating:

14.4 watts

Phase Shift Angle In Deg:

2.000 input to output

NSN 5990-00-898-1393

Receiver-transmitter Synchro - Page 2 of 3



Maximum Fundamental Null Voltage In Millivolts Per Volt:
35.00 output
Maximum Total Null Voltage Output In Millivolts Per Volt:
170.00
Electrical Error Angular Range In Minutes:
-8.0/+8.0
Spline Tooth Quantity:
22 single shaft
Receiver Error Angular Range In Minutes:
-36.0/+36.0
Torque Gradient Per Angular Deg:
0.670 inch-ounces
Pilot Length:
0.0300 inches
Shoulder Length:
0.5950 inches
Aft Of First Flange Diameter:
Between 2.7490 inches and 2.7500 inches
Mounting Surface To Terminal End Distance:
4.3700 inches
Spline Tooth Diametral Pitch:
96 single shaft
Shaft Thread Series Designator:
Unf single shaft
Shaft Thread Direction:
Right-hand single shaft
Shaft Thread Class:
2a single shaft
Terminal Location:
Rear
Shaft Thread Length:
0.3100 inches single shaft
Shaft Type:
Spline w/threads single shaft
Criticality Code Justification:
Feat
Transformation Ratio:
0.783 rotor to stator
Shaft Thread Size:
0.250 inches single shaft
Special Features:
Weapon system essential
Test Data Document:
81349-mil-s-20708 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain

NSN 5990-00-898-1393

Receiver-transmitter Synchro - Page 3 of 3



Terminal Type And Quantity:
5 screw
Specification Data:
81349-mil-s-20708/62 government specification
Shelf Life:
N/a

Demilitarization:

Unit Of Measure:

Yes - demil/mli

Fiig:

A07800