

View Online at <https://aerobasegroup.com/nsn/5990-00-902-0766>

Body Material:

Steel, corrosion resisting

Body Diameter:

0.7530 inches

Fragility Factor:

Moderately rugged

Securing Hole Quantity:

4

Body Size:

8

Stator Input Voltage Rating In Volts:

11.8

Stator Input Current Rating:

28.0 amperes

Stator Input Electrical Power Rating:

73.0 milliwatts

Frequency In Hertz:

400.0

Zro Resistance In Ohms:

640.00

Zso Resistance In Ohms:

93.00

Rotor Dc Resistance In Ohms:

550.00

Stator Dc Resistance In Ohms:

100.00

Phase Shift Angle In Deg:

11.500 input to output

Maximum Fundamental Null Voltage In Millivolts Per Volt:

30.00 output

Electrical Error Angular Range In Minutes:

-6.0/+6.0

Mounting Surface To Terminal End Distance:

1.3680 inches

Mounting Facility Screw Thread Series Designator:

Unc

Terminal Location:

Rear

Plus J Zro Reactance In Ohms:

1980.00

Plus J Zso Reactance In Ohms:

349.00

Mounting Facility Screw Thread Diameter:

0.125 inches

Securing Hole Bolt Circle Diameter:

2.3280 inches

Special Features:

Shaft modified with linear dial and knob installation

Terminal Type And Quantity:

5 turret

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A07800