

View Online at <https://aerobasegroup.com/nsn/5990-00-905-4560>

**Body Material:**

Steel, stainless

**Body Style:**

Standard round c

**Shoulder Diameter:**

Between 0.9995 inches and 1.0000 inches

**Pilot Diameter:**

Between 0.4995 inches and 0.5000 inches

**Overall Length:**

1.9130 inches

**Flange Diameter:**

Between 1.0610 inches and 1.0620 inches

**Flange Thickness:**

0.0620 inches

**Undercut Diameter:**

0.9750 inches

**Undercut Width:**

0.0810 inches

**Shaft Diameter:**

0.1195 inches single shaft and 0.1200 inches single shaft

**Shaft Length:**

0.3130 inches single shaft

**Body Size:**

11

**Rotor Input Voltage Rating In Volts:**

115.0

**Frequency In Hertz:**

400.0

**Rotor Input Current Rating:**

700.0 milliamperes

**Rotor Input Electrical Power Rating:**

101.0 allqjaa3.500 finished-chamfered

**Zro Resistance In Ohms:**

2060.00

**Zso Resistance In Ohms:**

68.00

**Rotor Dc Resistance In Ohms:**

820.00

**Stator Dc Resistance In Ohms:**

62.00

**Phase Shift Angle In Deg:**

2.100 input to output

**Maximum Total Null Voltage Output In Millivolts Per Volt:**

0.01

**Linearity In Percent:**

0.50

**Actuator Friction Torque At Minus 55 Deg Celsius:**

9.0 centimeter-grams

**Actuator Friction Torque At Plus 25 Deg Celsius:**

3.0 centimeter-grams

**Alignment Hole Quantity:**

4

**Pilot Length:**

0.0620 inches

**Shoulder Length:**

0.0620 inches

**Mounting Surface To Terminal End Distance:**

1.6000 inches

**Terminal Location:**

Rear

**Plus J Zro Reactance In Ohms:**

6300.00

**Shaft Slot Depth:**

0.0220 inches single shaft and 0.0320 inches single shaft

**Plus J Zso Reactance In Ohms:**

127.00

**Shaft Slot Width:**

0.0220 inches single shaft and 0.0320 inches single shaft

**Shaft Type:**

Round, slotted single shaft

**Alignment Hole Depth:**

0.0500 inches

**Alignment Hole Bolt Circle Diameter:**

0.8120 inches

**Terminal Type And Quantity:**

4 wire lead

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A07800