

View Online at <https://aerobasegroup.com/nsn/5990-00-905-4624>

Body Material:

Steel, corrosion resisting

Body Style:

Standard round c

Shoulder Diameter:

Between 2.1345 inches and 2.1350 inches

Pilot Diameter:

Between 0.9370 inches and 0.9375 inches

Overall Length:

1.4920 inches

Flange Diameter:

Between 2.2970 inches and 2.3000 inches

Flange Thickness:

0.0620 inches

Undercut Diameter:

Between 2.2090 inches and 2.2150 inches

Undercut Width:

0.0620 inches

Shaft Diameter:

0.2492 inches single shaft and 0.2497 inches single shaft

Shaft Length:

0.4930 inches single shaft

Fragility Factor:

Moderately rugged

Body Size:

23

Rotor Input Voltage Rating In Volts:

26.0

Frequency In Hertz:

400.0

Rotor Input Current Rating:

600.0 milliamperes

Rotor Input Electrical Power Rating:

350.0 milliwatts

Phase Shift Angle In Deg:

5.000 input to output

Maximum Fundamental Null Voltage In Millivolts Per Volt:

10.00 output

Maximum Total Null Voltage Output In Millivolts Per Volt:

20.00

Electrical Error Angular Range In Minutes:

-1.0/+1.0

Pilot Length:

0.0620 inches

Shoulder Length:

0.0620 inches

Mounting Surface To Terminal End Distance:

0.8370 inches

Terminal Location:

Rear

Shaft Type:

Round single shaft

Terminal Type And Quantity:

5 turret

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A07800