Control Transformer Synchro - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/5990-00-914-0838

Body Material:
Steel, stainless
Body Style:
Standard round d
Shoulder Diameter:
Between 1.9850 inches and 1.9900 inches
Pilot Diameter:
0.5950 inches
Second Shoulder Diameter:
Between 1.9935 inches and 1.9995 inches
Second Shoulder Length:
0.1700 inches
Overall Length:
4.2990 inches
Flange Diameter:
Between 2.2490 inches and 2.2500 inches
Flange Thickness:
0.2500 inches
Body Diameter:
1.9900 inches
Shaft Diameter:
0.2403 inches single shaft and 0.2405 inches single shaft
Shaft Length:
0.7190 inches single shaft
Fragility Factor:
Moderately rugged
Maximum Tempurature Rise:
20.0 degrees celsius
Body Size:
23
Stator Input Voltage Rating In Volts:
90.0
Stator Input Current Rating:
5.7 milliamperes
Stator Input Electrical Power Rating:
50.0 milliwatts
Frequency In Hertz:
400.0
Zso Impedance Magnitude In Ohms:
Between 134.00 and 167.00
Zso Impedance Angle In Deg:
Between 81.00 and 84.50

Control Transformer Synchro - Page 2 of 3



**Zrs Impedance Magnitude In Ohms:** Between 1040.00 and 1260.00 Zrs Impedance Angle In Deg: Between 46.00 and 56.00 Phase Shift Angle In Deg: 2.300 input to output Maximum Fundamental Null Voltage In Millivolts Per Volt: 20.00 output Maximum Total Null Voltage Output In Millivolts Per Volt: 45.00 **Electrical Error Angular Range In Minutes:** -6.0/+6.0 Spline Tooth Quantity: 22 single shaft **Torque Gradient Per Angular Deg:** 0.200 inch-ounces **Pilot Length:** 0.0430 inches Shoulder Length: 0.2500 inches Aft Of First Flange Diameter: Between 1.9985 inches and 1.9995 inches Mounting Surface To Terminal End Distance: 3.5800 inches **Spline Tooth Diametral Pitch:** 96 single shaft Shaft Thread Series Designator: Unef single shaft **Shaft Thread Direction:** Right-hand single shaft Shaft Thread Class: 2a **Terminal Location:** Rear Shaft Thread Length: 0.2900 inches single shaft Shaft Type: Spline w/threads single shaft **Transformation Ratio:** 0.735 rotor to stator Shaft Thread Size: 0.250 inches single shaft **Test Data Document:** 

81349-mil-s-20708 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain

# NSN 5990-00-914-0838

Control Transformer Synchro - Page 3 of 3



## Terminal Type And Quantity:

5 screw

#### Specification Data:

81349-mil-s-20708/46 government specification

Shelf Life:

N/a

## Unit Of Measure:

---

### Demilitarization:

Yes - demil/mli

Fiig:

A07800