## NSN 5990-00-914-0838

Control Transformer Synchro - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/5990-00-914-0838

Body Material:
Steel, stainless
Body Style:
Standard round d
Shoulder Diameter:
Between 1.9850 inches and 1.9900 inches
Pilot Diameter:
0.5950 inches
Second Shoulder Diameter:
Between 1.9935 inches and 1.9995 inches
Second Shoulder Length:
0.1700 inches
Overall Length:
4.2990 inches
Flange Diameter:
Between 2.2490 inches and 2.2500 inches
Flange Thickness:
0.2500 inches
Body Diameter:
1.9900 inches
Shaft Diameter:
0.2403 inches single shaft and 0.2405 inches single shaft
Shaft Length:
0.7190 inches single shaft
Fragility Factor:
Moderately rugged
Maximum Tempurature Rise:
20.0 degrees celsius
Body Size:
23
Stator Input Voltage Rating In Volts:
90.0
Stator Input Current Rating:
5.7 milliamperes
Stator Input Electrical Power Rating:
50.0 milliwatts
Frequency In Hertz:
400.0
Zso Impedance Magnitude In Ohms:
Between 134.00 and 167.00
Zeo Impedance Angle In Degr

Between 81.00 and 84.50

## NSN 5990-00-914-0838

Control Transformer Synchro - Page 2 of 3



Zrs Impedance Magnitude In Ohms:
Between 1040.00 and 1260.00
Zrs Impedance Angle In Deg:
Between 46.00 and 56.00
Phase Shift Angle In Deg:
2.300 input to output
Maximum Fundamental Null Voltage In Millivolts Per Volt:
20.00 output
Maximum Total Null Voltage Output In Millivolts Per Volt:
45.00
Electrical Error Angular Range In Minutes:
-6.0/+6.0
Spline Tooth Quantity:
22 single shaft
Torque Gradient Per Angular Deg:
0.200 inch-ounces
Pilot Length:
0.0430 inches
Shoulder Length:
0.2500 inches
Aft Of First Flange Diameter:
Between 1.9985 inches and 1.9995 inches
Mounting Surface To Terminal End Distance:
3.5800 inches
Spline Tooth Diametral Pitch:
96 single shaft
Shaft Thread Series Designator:
Unef single shaft
Shaft Thread Direction:
Right-hand single shaft
Shaft Thread Class:
2a
Terminal Location:
Rear
Shaft Thread Length:
0.2900 inches single shaft
Shaft Type:
Spline w/threads single shaft
Transformation Ratio:
0.735 rotor to stator
Shaft Thread Size:

0.250 inches single shaft **Test Data Document:** 

81349-mil-s-20708 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain

## NSN 5990-00-914-0838

Control Transformer Synchro - Page 3 of 3



Terminal	Type	And	Quantity:
----------	------	-----	-----------

5 screw

**Specification Data:** 

81349-mil-s-20708/46 government specification

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A07800