

View Online at <https://aerobasegroup.com/nsn/5990-00-959-2378>

Body Material:

Steel, corrosion resisting

Body Style:

Standard round c

Shoulder Diameter:

1.0000 inches

Pilot Diameter:

0.6250 inches

Overall Length:

2.1540 inches

Flange Diameter:

1.0620 inches

Flange Thickness:

0.0930 inches

Undercut Diameter:

0.9750 inches

Undercut Width:

0.0500 inches

Shaft Diameter:

0.1200 inches single shaft

Shaft Length:

0.3120 inches single shaft

Schematic Diagram Designator:

Err-090

Fragility Factor:

Moderately rugged

Body Size:

11

Stator Input Voltage Rating In Volts:

90.0

Stator Input Current Rating:

60.0 milliamperes

Stator Input Electrical Power Rating:

700.0 milliwatts

Frequency In Hertz:

400.0

Zro Impedance Magnitude In Ohms:

1990.00

Zro Impedance Angle In Deg:

77.30

Zso Impedance Magnitude In Ohms:

1640.00

Zso Impedance Angle In Deg:

80.70

Rotor Dc Resistance In Ohms:

350.00

Stator Dc Resistance In Ohms:

195.00

Phase Shift Angle In Deg:

6.000 output to input

Maximum Fundamental Null Voltage In Millivolts Per Volt:

60.00 output

Maximum Total Null Voltage Output In Millivolts Per Volt:

100.00

Electrical Error Angular Range In Minutes:

-5.0/+5.0

Actuator Friction Torque At Minus 55 Deg Celsius:

4.0 centimeter-grams

Actuator Friction Torque At Plus 25 Deg Celsius:

16.0 centimeter-grams

Shaft Maximum Radial Play:

0.0005 inches

Shaft End Play:

0.0015 inches

Pilot Length:

0.0620 inches

Shoulder Length:

0.0620 inches

Mounting Surface To Terminal End Distance:

1.7680 inches

Shaft Maximum Runout:

0.0008 inches

Terminal Location:

Rear

Shaft Slot Depth:

0.0300 inches single shaft

Shaft Slot Width:

0.0250 inches single shaft

Shaft Type:

Round, slotted single shaft

Transformation Ratio:

1.154 stator to rotor

Shaft Radial Play Determining Weight:

4.0 ounces

Shaft End Play Determining Weight:

8.0 ounces

Terminal Type And Quantity:

6 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A07800