NSN 5990-01-015-7502

Electrical Resolver - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/5990-01-015-7502

Vi	ew Online at https://aerobasegroup.com/nsn/5990-01-015-75
В	ody Material:
St	reel, stainless
В	ody Style:
St	andard round b
SI	noulder Diameter:
Ве	etween 1.1315 inches and 1.3120 inches
Pi	lot Diameter:
В	etween 0.8745 inches and 0.8750 inches
0	verall Length:
В	etween 2.4400 inches and 2.4600 inches
FI	ange Diameter:
В	etween 1.4340 inches and 1.4370 inches
FI	ange Thickness:
В	etween 0.0900 inches and 0.0960 inches
Uı	ndercut Width:
0.	0780 inches
SI	haft Diameter:
0.	1870 inches single shaft and 0.1872 inches single shaft
SI	naft Length:
0.	5300 inches single shaft and 0.5500 inches single shaft
Se	ecuring Hole Quantity:
3	
В	ody Size:
15	
	ator Input Voltage Rating In Volts:
5.	
	ator Input Current Rating:
	2 milliamperes
	ator Input Electrical Power Rating:
	0.0 milliwatts
	requency In Hertz:
	etween 29.7 and 30.3
	o Resistance In Ohms:
	250.00
	so Resistance In Ohms:
	70.00
	rs Resistance In Ohms:
	000.00
	ss Resistance In Ohms:
93	30.00

Rotor Dc Resistance In Ohms:

Between 1116.00 and 1364.00

NSN 5990-01-015-7502

Electrical Resolver - Page 2 of 3



Stator Dc Resistance In Ohms: Between 576.00 and 704.00 Phase Shift Angle In Deg: 50.000 input to output Maximum Total Null Voltage Output In Millivolts Per Volt: 40.00 **Interaxis Error Angular Range In Minutes:** -15.0/+15.0 **Spline Tooth Quantity:** 21 single shaft **Actuator Friction Torque At Plus 25 Deg Celsius:** 4.0 centimeter-grams **Shaft Radial Play Test Point:** 0.125 inches **Shaft Maximum Radial Play:** 0.0004 inches **Shaft End Play:** 0.0015 inches Pilot Length: Between 0.0370 inches and 0.0430 inches **Shoulder Length:** Between 0.1290 inches and 0.1350 inches **Mounting Surface To Terminal End Distance:** Between 1.7750 inches and 1.7810 inches **Spline Tooth Diametral Pitch:** 120 single shaft **Shaft Maximum Runout:** 0.0008 inches **Shaft Thread Series Designator:** Unf single shaft **Shaft Thread Direction:** Right-hand single shaft **Shaft Thread Class:** 2a single shaft **Mounting Facility Screw Thread Series Designator:** Unc **Terminal Location:** Rear **Shaft Thread Length:** 0.2100 inches single shaft

650.00

1350.00

Plus J Zro Reactance In Ohms:

Plus J Zso Reactance In Ohms:

NSN 5990-01-015-7502 Electrical Resolver - Page 3 of 3



Plus J Zrs Reactance In Ohms:
700.00
Shaft Type:
Spline w/threads single shaft
Mounting Facility Screw Thread Diameter:
0.120 inches
Plus J Zss Reactance In Ohms:
300.00
Transformation Ratio:
Between 0.960 stator to rotor and 1.040 stator to rotor
Shaft Thread Size:
0.184 inches single shaft
Shaft Radial Play Determining Weight:
8.0 ounces
Shaft End Play Determining Weight:
8.0 ounces
Terminal Type And Quantity:
8 screw
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A07800