

View Online at <https://aerobasegroup.com/nsn/5990-01-054-3227>

Body Material:

Steel, stainless

Body Style:

Standard round d

Shoulder Diameter:

Between 1.9850 inches and 1.9900 inches

Pilot Diameter:

Between 0.2402 inches and 0.2405 inches

Second Shoulder Diameter:

Between 1.9985 inches and 1.9995 inches

Second Shoulder Length:

Between 0.0300 inches and 0.3600 inches

Overall Length:

Between 4.2200 inches and 4.3000 inches

Flange Diameter:

Between 2.2490 inches and 2.2510 inches

Flange Thickness:

0.2500 inches

Body Diameter:

Between 1.9985 inches and 1.9995 inches

Shaft Diameter:

0.1850 inches single shaft

Shaft Length:

0.6930 inches and 0.7190 inches single shaft

Fragility Factor:

Moderately rugged

Body Size:

23

Stator Input Voltage Rating In Volts:

115.0

Stator Input Current Rating:

230.0 milliamperes

Stator Input Electrical Power Rating:

10.0 watts

Frequency In Hertz:

Between 50.0 and 440.0

Torque Gradient Per Angular Deg:

7.000 inch-ounces

Shoulder Length:

0.0070 inches

Aft Of First Flange Diameter:

Between 1.9985 inches and 1.9995 inches

Mounting Surface To Terminal End Distance:

3.4400 inches

Shaft Thread Series Designator:

Unf single shaft

Shaft Thread Direction:

Right-hand single shaft

Shaft Thread Class:

2a single shaft

Terminal Location:

Rear

Shaft Thread Length:

0.3000 inches and 0.3600 inches single shaft

Shaft Type:

Round, threaded single shaft

Shaft Thread Size:

0.250 inches single shaft

Terminal Type And Quantity:

7 screw

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A07800