NSN 5990-01-084-8330

Differential Transmitter Synchro - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/5990-01-084-83
Body Material:
Steel, corrosion resisting
Body Style:
Standard round d
Shoulder Diameter:
Between 2.6950 inches and 2.7000 inches
Pilot Diameter:
0.2970 inches
Second Shoulder Diameter:
Between 2.7490 inches and 2.7500 inches
Second Shoulder Length:
0.3750 inches
Overall Length:
5.3550 inches
Flange Diameter:
Between 3.0990 inches and 3.1000 inches
Flange Thickness:
0.2500 inches
Body Diameter:
2.7000 inches
Shaft Diameter:
0.2403 inches single shaft and 0.2405 inches single shaft
Shaft Length:
0.6900 inches single shaft and 0.7100 inches single shaft
Maximum Tempurature Rise:
18.0 degrees celsius
Body Size:
31
Stator Input Voltage Rating In Volts:
90.0
Stator Input Current Rating:
725.0 milliamperes
Stator Input Electrical Power Rating:
7.7 watts
Frequency In Hertz:
60.0
Zrs Resistance In Ohms:
44.00
Zrs Impedance Angle In Deg:
27.00
Rotor Dc Resistance In Ohms:

24.00

NSN 5990-01-084-8330 Differential Transmitter Synchro - Page 2 of 3



Stator Dc Resistance In Ohms:
19.00
Phase Shift Angle In Deg:
6.500 input to output
Electrical Error Angular Range In Minutes:
-10.0/+10.0
Spline Tooth Quantity:
22 single shaft
Actuator Friction Torque At Plus 25 Deg Celsius:
0.50 inch-ounces
Torque Gradient Per Angular Deg:
0.300 inch-ounces
Pilot Length:
0.0300 inches
Shoulder Length:
0.6150 inches
Aft Of First Flange Diameter:
Between 2.7490 inches and 2.7500 inches
Mounting Surface To Terminal End Distance:
4.4063 inches
Spline Tooth Diametral Pitch:
96 single shaft
Shaft Thread Series Designator:
Unf single shaft
Shaft Thread Direction:
Right-hand single shaft
Shaft Thread Class:
2a
Terminal Location:
Rear
Shaft Thread Length:
0.3640 inches single shaft
Shaft Type:
Spline w/threads single shaft
Transformation Ratio:
1.154 rotor to stator
Shaft Thread Size:
0.250 inches single shaft
Terminal Type And Quantity:
6 screw
Shelf Life:
N/a
Unit Of Measure:

NSN 5990-01-084-8330

Differential Transmitter Synchro - Page 3 of 3



Demilitarization:

Yes - demil/mli

Fiig:

A07800