

View Online at <https://aerobasegroup.com/nsn/5990-01-093-1877>

Body Material:

Steel, stainless

Body Style:

Standard round a

Pilot Diameter:

0.5000 inches

Overall Length:

1.6700 inches

Flange Diameter:

0.7500 inches

Flange Thickness:

0.0620 inches

Undercut Diameter:

0.6910 inches

Undercut Width:

0.0620 inches

Shaft Diameter:

0.0900 inches single shaft

Shaft Length:

0.3750 inches single shaft

Schematic Diagram Designator:

Err-090

Fragility Factor:

Moderately rugged

End Application:

2040-00-269-9007

Body Size:

8

Stator Input Voltage Rating In Volts:

11.8

Stator Input Current Rating:

30.0 milliamperes

Stator Input Electrical Power Rating:

73.0 milliwatts

Frequency In Hertz:

400.0

Zro Resistance In Ohms:

109.00

Zso Resistance In Ohms:

81.00

Zrs Resistance In Ohms:

125.00

Rotor Dc Resistance In Ohms:

98.00

Stator Dc Resistance In Ohms:

64.00

Phase Shift Angle In Deg:

8.500 output to input

Maximum Total Null Voltage Output In Millivolts Per Volt:

30.00

Electrical Error Angular Range In Minutes:

-7.0/+7.0

Actuator Friction Torque At Minus 55 Deg Celsius:

16.0 centimeter-grams

Actuator Friction Torque At Plus 25 Deg Celsius:

4.1 centimeter-grams

Shaft Radial Play Test Point:

0.125 inches

Shaft Maximum Radial Play:

0.0010 inches

Shaft End Play:

Between 0.0020 inches and 0.0050 inches

Pilot Length:

0.0400 inches

Mounting Surface To Terminal End Distance:

1.2400 inches

Shaft Maximum Runout:

0.0010 inches

Terminal Location:

Rear

Plus J Zro Reactance In Ohms:

360.00

Shaft Slot Depth:

0.0250 inches single shaft

Plus J Zso Reactance In Ohms:

330.00

Shaft Slot Width:

0.0200 inches single shaft

Plus J Zrs Reactance In Ohms:

35.00

Shaft Type:

Round, slotted single shaft

Shaft Radial Play Determining Weight:

4.0 ounces

Shaft End Play Determining Weight:

8.0 ounces

Terminal Type And Quantity:

6 screw

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A07800