Receiver-transmitter Synchro - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/5990-01-114-5095

Body Material:

Steel, corrosion resisting

Body Style:

Standard round d

Shoulder Diameter:

1.9900 inches

Pilot Diameter:

0.5950 inches

Second Shoulder Diameter:

1.9995 inches

Second Shoulder Length:

0.1700 inches

Overall Length:

4.2140 inches

Flange Diameter:

2.2500 inches

Flange Thickness:

0.2500 inches

Body Diameter:

1.9900 centimeters

Shaft Diameter:

0.2405 inches single shaft

Shaft Length:

0.6760 inches single shaft

Schematic Diagram Designator:

Err-090

Fragility Factor:

Moderately rugged

End Application:

05g0073-001

Maximum Tempurature Rise:

35.0 degrees celsius

Body Size:

23

Rotor Input Voltage Rating In Volts:

115.0

Frequency In Hertz:

60.0

Rotor Input Current Rating:

210.0 milliamperes

Rotor Input Electrical Power Rating:

5.6 watts finished-chamfered

Receiver-transmitter Synchro - Page 2 of 3



Zss Impedance Magnitude In Ohms: 127.50 Zss Impedance Angle In Deg: 13.50 **Rotor Dc Resistance In Ohms:** 95.00 Stator Dc Resistance In Ohms: 106.00 Phase Shift Angle In Deg: 11.000 input to output Maximum Fundamental Null Voltage In Millivolts Per Volt: 60.00 output Maximum Total Null Voltage Output In Millivolts Per Volt: 160.00 **Electrical Error Angular Range In Minutes:** -8.0/+8.0 **Spline Tooth Quantity:** 22 single shaft **Receiver Error Angular Range In Minutes:** -45.0/+45.0 Actuator Friction Torque At Plus 25 Deg Celsius: 0.20 inch-ounces **Torque Gradient Per Angular Deg:** 0.120 inch-ounces **Shaft Radial Play Test Point:** 0.125 inches Shaft Maximum Radial Play: 0.0010 inches Shaft End Play: Between 0.0005 inches and 0.0045 inches **Pilot Length:** 0.0430 inches Shoulder Length: 0.1070 inches Aft Of First Flange Diameter: 1.9995 inches Mounting Surface To Terminal End Distance: 3.5850 inches Spline Tooth Diametral Pitch: 96 single shaft Shaft Maximum Runout: 0.0008 inches Shaft Thread Series Designator:

Unf single shaft



Shaft Thread Direction:

Right-hand single shaft

Shaft Thread Class:

2a single shaft

Terminal Location:

Rear

Shaft Thread Length:

0.3000 inches single shaft

Shaft Type:

Spline w/threads single shaft

Transformation Ratio:

0.783 stator to rotor

Shaft Thread Size:

0.250 inches single shaft

Shaft Radial Play Determining Weight:

8.0 ounces

Shaft End Play Determining Weight:

16.0 ounces

Terminal Type And Quantity:

7 screw

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A07800