NSN 5990-01-189-3201

Transmitter Synchro - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/5990-01-189-3201

view Online at https://aerobasegroup.com/
Body Material:
Steel, corrosion resisting
Body Style:
Standard round b
Shoulder Diameter:
1.0000 inches
Pilot Diameter:
0.6250 inches
Overall Length:
2.4180 inches
Flange Diameter:
1.0620 inches
Flange Thickness:
0.0930 inches
Undercut Width:
0.0620 inches
Shaft Diameter:
0.1200 inches single shaft
Shaft Length:
0.5620 inches single shaft
Maximum Tempurature Rise:
20.0 degrees celsius
Body Size:
11
Rotor Input Voltage Rating In Volts: 26.0
Frequency In Hertz:
400.0
Rotor Input Current Rating:
130.0 milliamperes
Rotor Input Electrical Power Rating:
340.0 milliwatts
Zro Impedance Magnitude In Ohms:
Between 200.00 and 300.00
Zro Impedance Angle In Deg:
Between 80.50 and 84.00
Zss Impedance Magnitude In Ohms:
Between 6.00 and 12.00
Zss Impedance Angle In Deg:
Between 18.00 and 30.00
Phase Shift Angle In Deg:

4.000 input to output

NSN 5990-01-189-3201 Transmitter Synchro - Page 2 of 3



Maximum Fundamental Null Voltage In Millivolts Per Volt:
12.00 output
Maximum Total Null Voltage Output In Millivolts Per Volt:
19.00
Electrical Error Angular Range In Minutes:
-7.0/+7.0
Spline Tooth Quantity:
21 single shaft
Actuator Friction Torque At Plus 25 Deg Celsius:
0.07 inch-ounces
Shaft Maximum Radial Play:
0.0006 inches
Shaft End Play:
0.0100 inches
Pilot Length:
0.0620 inches
Shoulder Length:
0.0620 inches
Mounting Surface To Terminal End Distance:
1.7940 inches
Spline Tooth Diametral Pitch:
120 single shaft
Shaft Thread Series Designator:
Unf single shaft
Shaft Thread Direction:
Right-hand single shaft
Shaft Thread Class:
2a single shaft
Terminal Location:
Rear
Shaft Thread Length:
0.2530 inches single shaft
Shaft Type:
Spline w/threads single shaft
Transformation Ratio:
0.454 rotor to stator
Shaft Thread Size:
0.190 inches single shaft
Shaft Radial Play Determining Weight:
8.0 ounces
Shaft End Play Determining Weight:
1.0 ounces
Test Data Document:
81349-mil-s-20708 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain

NSN 5990-01-189-3201 Transmitter Synchro - Page 3 of 3



Terminal Type And Quantity:
5 screw
Specification Data:
81349-mil-s-20708/8 government specification
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A07800