NSN 5990-01-304-5680

Transmitter Synchro - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5990-01-304-5680

Body Material: Steel, stainless **Body Style:** Standard round a **Pilot Diameter:** Between 0.4995 inches and 0.5000 inches **Overall Length:** 1.6360 inches Flange Diameter: Between 0.7490 inches and 0.7500 inches Flange Thickness: Between 0.0570 inches and 0.0670 inches **Undercut Diameter:** Between 0.6680 inches and 0.6910 inches **Undercut Width:** Between 0.0570 inches and 0.0670 inches **Shaft Diameter:** 0.0895 inches single shaft and 0.0900 inches single shaft **Shaft Length:** 0.3170 inches single shaft and 0.3470 inches single shaft **Body Size:** 8 **Rotor Input Voltage Rating In Volts:** 26.0 Frequency In Hertz: 400.0 **Rotor Input Current Rating:** 100.0 milliamperes **Rotor Input Electrical Power Rating:** 540.0 allqjaa3.500 finished-chamfered **Zro Resistance In Ohms:** 54.00 **Zso Resistance In Ohms:** 11.30 **Zrs Resistance In Ohms:** 88.00 **Rotor Dc Resistance In Ohms:** 37.00 Stator Dc Resistance In Ohms: 12.00

Phase Shift Angle In Deg:

8.500 output to input

NSN 5990-01-304-5680 Transmitter Synchro - Page 2 of 2



Maximum Fundamental Null Voltage In Millivolts Per Volt:
30.00 output
Actuator Friction Torque At Minus 55 Deg Celsius:
16.00 centimeter-grams
Actuator Friction Torque At Plus 25 Deg Celsius:
4.00 centimeter-grams
Shaft Maximum Radial Play:
0.0005 inches
Shaft End Play:
Between 0.0003 inches and 0.0008 inches
Pilot Length:
0.0380 mils and 0.0480 centimeters
Mounting Surface To Terminal End Distance:
1.2410 inches
Terminal Location:
Rear
Plus J Zro Reactance In Ohms:
260.00
Shaft Slot Depth:
0.0250 inches single shaft
Plus J Zso Reactance In Ohms:
45.00
Shaft Slot Width:
0.0200 inches single shaft
Plus J Zrs Reactance In Ohms:
22.00
Shaft Type:
Round, slotted single shaft
Transformation Ratio:
0.454 stator to rotor
Terminal Type And Quantity:
5 wire lead
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A07800