NSN 5990-01-310-5421

Transmitter Synchro - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/5990-01-310-5421

Body Material:

Steel, corrosion resisting

Body Style:

Standard round c

Shoulder Diameter:

Between 0.9995 inches and 1.0000 inches

Pilot Diameter:

Between 0.6245 inches and 0.6250 inches

Overall Length:

2.1150 inches

Flange Diameter:

Between 1.0610 inches and 1.0620 inches

Flange Thickness:

Between 0.0880 inches and 0.0980 inches

Undercut Diameter:

Between 0.9700 inches and 0.9800 inches

Undercut Width:

Between 0.0450 inches and 0.0550 inches

Shaft Diameter:

0.1195 inches single shaft and 0.1200 inches single shaft

Shaft Length:

0.4850 inches single shaft and 0.5150 inches single shaft

Body Size:

11

Rotor Input Voltage Rating In Volts:

115.0

Frequency In Hertz:

400.0

Rotor Input Current Rating:

54.0 milliamperes

Rotor Input Electrical Power Rating:

900.0 allqjaa3.500 microwatts

Zro Resistance In Ohms:

392.00

Zso Resistance In Ohms:

11.30

Zrs Resistance In Ohms:

556.00

Rotor Dc Resistance In Ohms:

230.00

Stator Dc Resistance In Ohms:

9.70

NSN 5990-01-310-5421

Transmitter Synchro - Page 2 of 3



Phase Shift Angle In Deg:

5.300 input to output

Maximum Fundamental Null Voltage In Millivolts Per Volt:

30.00 output

Electrical Error Angular Range In Minutes:

-7.0/+7.0

Actuator Friction Torque At Plus 25 Deg Celsius:

4.0 centimeter-grams

Torque Gradient Per Angular Deg:

4400.0 millimeter-milligrams

Shaft Radial Play Test Point:

0.125 inches

Shaft Maximum Radial Play:

0.0005 inches

Shaft End Play:

Between 0.0003 inches and 0.0008 inches

Pilot Length:

0.0590 mils and 0.0650 centimeters

Shoulder Length:

0.0590 mils and 0.0650 centimeters

Mounting Surface To Terminal End Distance:

1.6000 inches

Shaft Maximum Runout:

0.0010 inches

Terminal Location:

Rear

Plus J Zro Reactance In Ohms:

2430.00

Shaft Slot Depth:

0.0220 inches single shaft and 0.0320 inches single shaft

Plus J Zso Reactance In Ohms:

50.30

Shaft Slot Width:

0.0220 inches single shaft and 0.0320 inches single shaft

Plus J Zrs Reactance In Ohms:

210.00

Shaft Type:

Round, slotted single shaft

Transformation Ratio:

0.158 stator to rotor

Shaft Radial Play Determining Weight:

4.0 ounces

Shaft End Play Determining Weight:

8.0 ounces

NSN 5990-01-310-5421

Transmitter Synchro - Page 3 of 3



Test Data Document:

55973-5160113 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Terminal Type And Quantity:

5 wire lead

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

Yes - demil/mli

Fiig:

A07800