

View Online at <https://aerobasegroup.com/nsn/5990-01-341-4891>

Body Material:

Any acceptable

Body Style:

Standard round c

Shoulder Diameter:

Between 3.3115 inches and 3.3120 inches

Pilot Diameter:

Between 0.8745 inches and 0.8750 inches

Overall Length:

1.9780 inches

Flange Diameter:

1.4400 inches

Flange Thickness:

Between 0.0900 inches and 0.0960 inches

Undercut Diameter:

Between 1.3090 inches and 1.3150 inches

Undercut Width:

Between 0.0730 inches and 0.0830 inches

Shaft Diameter:

0.1867 inches single shaft and 0.1872 inches single shaft

Shaft Length:

0.4280 inches single shaft and 0.4530 inches single shaft

Fragility Factor:

Moderately rugged

Maximum Temperature Rise:

100.0 degrees celsius

Body Size:

15

Rotor Input Voltage Rating In Volts:

26.0

Frequency In Hertz:

Between 380.0 and 436.0

Actuator Friction Torque At Plus 25 Deg Celsius:

6.0 centimeter-grams

Pilot Length:

0.0370 mils and 0.0430 centimeters

Shoulder Length:

0.1290 mils and 0.1350 centimeters

Mounting Surface To Terminal End Distance:

1.9150 inches

Terminal Location:

Rear

Shaft Slot Depth:

0.0200 inches single shaft

Shaft Slot Width:

0.0200 inches single shaft

Shaft Type:

Round, slotted single shaft

Terminal Type And Quantity:

5 tab w/screw

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A07800