

View Online at https://aerobasegroup.com/nsn/5995-00-339-5856

| Cros | ss Sectional Shape: |
|-------|---|
| Rour | nd |
| Elec | trical Resistance: |
| 50.00 | 0 ohms impedance |
| Cros | ss Section Outside Diameter: |
| 0.14 | 1 inches |
| Term | nination Type: |
| Conr | nector plug both ends single conductor |
| Cond | ductor Quantity: |
| 1 | |
| Cond | ductor Form: |
| Solid | I single conductor |
| Rou | nd Conductor Size: |
| 19 av | wg single conductor |
| Cond | ductor Arrangement And Quantity: |
| 1 coa | axial |
| Term | ninal Manufacturer Identifying Reference Number: |
| 578r(| 669h01 2nd end single conductor |
| Term | ninal Commercial And Government Entity Code: |
| 9794 | 2 both ends single conductor |
| Mate | erial: |
| Tin 3 | Brd position coating single conductor |
| Mate | erial Specification: |
| Mil-c | -17 military specification single material response core conductor single conductor |
| Shel | f Life: |
| N/a | |
| Unit | Of Measure: |
| | |
| Dem | ilitarization: |
| Yes | - demil/mli |
| Fiig: | |
| A077 | 7a0 |
| Mil-s | std (military Standard): |
| | -17 spec. |