Radio Frequency Cable Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5995-00-491-3582

| Cross Sectional Shape: |
|--|
| Round |
| Overall Length: |
| 10.000 feet |
| Electrical Resistance: |
| 50.00 ohms impedance |
| Tempurature Rating: |
| -40.0 degrees celsius and 75.0 degrees celsius |
| Cross Section Outside Diameter: |
| 0.200 inches |
| Termination Type: |
| Connector internal straight both ends single conductor |
| Conductor Quantity: |
| 1 |
| Conductor Form: |
| Solid single conductor |
| Round Conductor Size: |
| 20 awg single conductor |
| Conductor Arrangement And Quantity: |
| 1 coaxial |
| Terminal Manufacturer Identifying Reference Number: |
| Mil-c-39012/55 2nd end all conductors |
| Terminal Commercial And Government Entity Code: |
| 81349 both ends single conductor |
| Color: |
| Brown 16th position primary insulation cable |
| Material: |
| Silver 3rd position coating single conductor |
| Precious Material And Location: |
| Conductor and shields silver |
| Precious Material And Weight: |
| 0.040 silver grains, troy |
| Precious Material: |
| Silver |
| Surface Treatment: |
| Silver core conductor single conductor |
| Style Designator: |
| Internal connectors |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| |



Demilitarization:

Yes - demil/mli

Fiig:

A077a0

Mil-std (military Standard):

Mil-c-39012 spec.