NSN 5995-00-905-7192

Radio Frequency Cable Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5995-00-905-7192

| Cross Sectional Shape: |
|---|
| Round |
| Overall Length: |
| 2.354 feet |
| Electrical Resistance: |
| 50.00 ohms impedance |
| Cross Section Outside Diameter: |
| 0.110 inches |
| Termination Type: |
| Prod terminal 2nd end single conductor |
| Conductor Quantity: |
| 1 |
| Strand Quantity Per Conductor: |
| 7 single conductor |
| Conductor Form: |
| Stranded single conductor |
| Round Conductor Size: |
| 25 awg single conductor |
| Strand Awg Size Per Conductor: |
| 33 single conductor |
| Conductor Arrangement And Quantity: |
| 1 coaxial |
| Terminal Commercial And Government Entity Code: |
| 94375 1st end single conductor |
| Special Features: |
| Cable type rg-188a/u |
| Material: |
| Steel core conductor single conductor |
| Material Specification: |
| Mil-c-17 military specification single material response 2nd position shield braid, metallic single conductor |
| Precious Material And Location: |
| Conductor silver |
| Precious Material And Weight: |
| 0.040 silver grains, troy |
| Precious Material: |
| |
| Silver |
| Silver Surface Treatment: |
| |
| Surface Treatment: |

Style Designator:

Jack and internal angle connector

NSN 5995-00-905-7192

Radio Frequency Cable Assembly - Page 2 of 2



| N/a |
|------------------------------|
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A077a0 |
| Mil-std (military Standard): |

Mil-c-17 spec.

Shelf Life: