Radio Frequency Cable Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5995-01-134-9817

| Cross Sectional Shape: |
|---|
| Round |
| Electrical Resistance: |
| 50.00 ohms impedance |
| Tempurature Rating: |
| -55.0 degrees celsius and 200.0 degrees celsius |
| Cross Section Outside Diameter: |
| 0.098 inches |
| Termination Type: |
| Connector plug both ends single conductor |
| Conductor Quantity: |
| 1 |
| Strand Quantity Per Conductor: |
| 7 single conductor |
| Conductor Form: |
| Stranded single conductor |
| Round Conductor Size: |
| 25 awg single conductor |
| Strand Awg Size Per Conductor: |
| 33 single conductor |
| Conductor Arrangement And Quantity: |
| 1 coaxial |
| Terminal Manufacturer Identifying Reference Number: |
| 582r134h01 2nd end all conductors |
| Terminal Commercial And Government Entity Code: |
| 97942 both ends single conductor |
| Special Features: |
| M17/113-rg316 cable |
| Material: |
| Steel 1st position conductor single conductor |
| Material Specification: |
| Qq-w-345 federal specification all material responses 1st position conductor single conductor |
| Precious Material And Location: |
| Conductor silver |
| Precious Material And Weight: |
| 0.040 silver grains, troy |
| Precious Material: |
| Silver |
| Surface Treatment: |
| Silver core conductor single conductor |
| Style Designator: |
| Internal and external connector |



Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A077a0

Mil-std (military Standard):

Mil-c-17 spec.