Radio Frequency Cable Assembly - Page 1 of 1



| View Online at https://aerobasegroup.com/nsn/5995-01-156-3854 |
|--|
| Cross Sectional Shape: |
| Round |
| Electrical Resistance: |
| 50.00 ohms impedance |
| Tempurature Rating: |
| -40.0 degrees celsius and 100.0 degrees celsius |
| Cross Section Outside Diameter: |
| 0.142 inches |
| End Application: |
| An/usm-464 |
| Termination Type: |
| Connector plug both ends single conductor |
| Conductor Quantity: |
| 1 |
| Conductor Form: |
| Solid single conductor |
| Round Conductor Size: |
| 19 awg single conductor |
| Conductor Arrangement And Quantity: |
| 1 coaxial |
| Terminal Manufacturer Identifying Reference Number: |
| 160097p4 2nd end single conductor |
| Terminal Commercial And Government Entity Code: |
| 94117 both ends single conductor |
| Material: |
| Tin 3rd position coating cable |
| Material Specification: |
| Mil-c-17 military specification single material response core conductor single conductor |
| Style Designator: |
| Internal connectors |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| Yes - demil/mli |
| Fiig: |
| A077a0 |
| Mil-std (military Standard): |
| Mil-c-17 spec. |
| |