

View Online at https://aerobasegroup.com/nsn/5995-01-156-5759

Cross Sectional Shape:
Round
Electrical Resistance:
50.00 ohms impedance
Tempurature Rating:
-40.0 degrees celsius and 100.0 degrees celsius
Cross Section Outside Diameter:
0.142 inches
End Application:
An/usm-464
Termination Type:
Connector plug both ends single conductor
Conductor Quantity:
1
Conductor Form:
Solid single conductor
Round Conductor Size:
19 awg single conductor
Conductor Arrangement And Quantity:
1 coaxial
Terminal Manufacturer Identifying Reference Number:
160097p4 2nd end single conductor
Terminal Commercial And Government Entity Code:
Terminal Commercial And Government Entity Code:
94117 both ends single conductor
94117 both ends single conductor Material:
94117 both ends single conductor <b>Material:</b> Tin 3rd position coating cable
94117 both ends single conductor Material: Tin 3rd position coating cable Material Specification:
94117 both ends single conductor Material: Tin 3rd position coating cable Material Specification: Mil-c-17 military specification single material response core conductor single conductor
94117 both ends single conductor Material: Tin 3rd position coating cable Material Specification: Mil-c-17 military specification single material response core conductor single conductor Style Designator:
94117 both ends single conductor Material: Tin 3rd position coating cable Material Specification: Mil-c-17 military specification single material response core conductor single conductor Style Designator: Internal connectors
94117 both ends single conductor Material: Tin 3rd position coating cable Material Specification: Mil-c-17 military specification single material response core conductor single conductor Style Designator: Internal connectors Shelf Life:
94117 both ends single conductor Material: Tin 3rd position coating cable Material Specification: Mil-c-17 military specification single material response core conductor single conductor Style Designator: Internal connectors Shelf Life: N/a
94117 both ends single conductor Material: Tin 3rd position coating cable Material Specification: Mil-c-17 military specification single material response core conductor single conductor Style Designator: Internal connectors Shelf Life:
94117 both ends single conductor Material: Tin 3rd position coating cable Material Specification: Mil-c-17 military specification single material response core conductor single conductor Style Designator: Internal connectors Shelf Life: N/a Unit Of Measure:
94117 both ends single conductor Material: Tin 3rd position coating cable Material Specification: Mil-c-17 military specification single material response core conductor single conductor Style Designator: Internal connectors Shelf Life: N/a Unit Of Measure: Demilitarization:
94117 both ends single conductor Material: Tin 3rd position coating cable Material Specification: Mil-c-17 military specification single material response core conductor single conductor Style Designator: Internal connectors Shelf Life: N/a Unit Of Measure:  Demilitarization: Yes - demil/mli
94117 both ends single conductor Material: Tin 3rd position coating cable Material Specification: Mil-c-17 military specification single material response core conductor single conductor Style Designator: Internal connectors Shelf Life: N/a Unit Of Measure:  Demilitarization: Yes - demil/mli Fiig:
94117 both ends single conductor Material: Tin 3rd position coating cable Material Specification: Mil-c-17 military specification single material response core conductor single conductor Style Designator: Internal connectors Shelf Life: N/a Mit Of Measure:  Pemilitarization: Yes - demil/mli Fig: A077a0
94117 both ends single conductor Material: Tin 3rd position coating cable Material Specification: Mil-c-17 military specification single material response core conductor single conductor Style Designator: Internal connectors Shelf Life: N/a Unit Of Measure:  Demilitarization: Yes - demil/mli Fiig: