

View Online at https://aerobasegroup.com/nsn/5995-01-244-0537

| Cross Sectional Shape: |
|--|
| Round |
| Electrical Resistance: |
| 50.00 ohms impedance |
| Cross Section Outside Diameter: |
| 0.086 inches |
| End Application: |
| An/sps-52 radar |
| Termination Type: |
| Connector internal straight 1st end single conductor |
| Conductor Quantity: |
| 1 |
| Criticality Code Justification: |
| Feat |
| Conductor Form: |
| Solid single conductor |
| Round Conductor Size: |
| 24 awg single conductor |
| Conductor Arrangement And Quantity: |
| 1 coaxial |
| Terminal Manufacturer Identifying Reference Number: |
| 713512-2 1st end single conductor |
| Terminal Commercial And Government Entity Code: |
| 05869 1st end single conductor |
| Special Features: |
| Preshaped rg-405 cable |
| Material: |
| Steel 1st position conductor single conductor |
| Precious Material And Location: |
| Conductor silver |
| Precious Material And Weight: |
| 0.040 silver grains, troy |
| Precious Material: |
| Silver |
| Surface Treatment: |
| Silver core conductor single conductor |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| Ves - demil/mli |

Yes - demil/mli

NSN 5995-01-244-0537

Radio Frequency Cable Assembly - Page 2 of 2

Fiig: A077a0

