

View Online at <https://aerobasegroup.com/nsn/5995-01-285-3337>

**Cross Sectional Shape:**

Round

**Overall Length:**

3.000 inches

**Electrical Resistance:**

50.00 ohms impedance

**Temperature Rating:**

-37.0 degrees celsius and 85.0 degrees celsius

**Cross Section Outside Diameter:**

0.118 inches

**End Application:**

Sparrow air-to-air aim-7 missile

**Termination Type:**

Connector internal angle both ends single conductor

**Conductor Quantity:**

1

**Strand Quantity Per Conductor:**

7 single conductor

**Conductor Form:**

Stranded single conductor

**Round Conductor Size:**

26 awg single conductor

**Strand Awg Size Per Conductor:**

34 single conductor

**Conductor Arrangement And Quantity:**

1 coaxial

**Terminal Manufacturer Identifying Reference Number:**

917as6858-3 2nd end all conductors

**Terminal Commercial And Government Entity Code:**

30003 both ends single conductor

**Special Features:**

Cable p/n 917as8152, cage 30003

**Material:**

Steel 1st position conductor single conductor

**Material Specification:**

Mil-c-17 military specification all material responses 4th position shield braid, metallic single conductor

**Precious Material And Location:**

Conductor silver

**Precious Material And Weight:**

0.040 silver grains, troy

**Precious Material:**

Silver

**Surface Treatment:**

Silver core conductor single conductor

**Style Designator:**

Dual internal angle connector

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A077a0

**Mil-std (military Standard):**

Mil-c-17 spec.