

View Online at https://aerobasegroup.com/nsn/5995-01-308-3927

| Cross Sectional Shape:  |
|---|
| Round   |
| Overall Length:   |
| 3.333 feet  |
| Electrical Resistance:  |
| 50.00 ohms impedance  |
| Cross Section Outside Diameter:   |
| 0.195 inches  |
| End Application:  |
| A-10 thunderbolt ii aircraft  |
| Termination Type:   |
| Connector internal straight 1st end single conductor  |
| Conductor Quantity:   |
| 1   |
| Strand Quantity Per Conductor:  |
| 19 single conductor   |
| Criticality Code Justification:   |
| Feat  |
| Conductor Form:   |
| Stranded single conductor   |
| Round Conductor Size:   |
| 20 awg single conductor   |
| Strand Awg Size Per Conductor:  |
| 32 single conductor   |
| Conductor Arrangement And Quantity:   |
| 1 coaxial   |
| Terminal Manufacturer Identifying Reference Number:   |
| M39012/30-0503 2nd end all conductors   |
| Terminal Commercial And Government Entity Code:   |
| 81349 both ends single conductor  |
| Special Features:   |
| Wire marker number w3922; rg400 cable   |
| Material:   |
| Silver 5th position cover single conductor  |
| Material Specification:   |
| Mil-c-17 military specification single material response 2nd position shield braid, metallic single conductor |
| Precious Material And Location:   |
| Conductor silver  |
| Precious Material And Weight:   |
| 0.040 silver grains, troy   |
| Precious Material:  |
| Silver  |
|   |



## Surface Treatment:

Silver core conductor single conductor

## Style Designator:

Internal straight and internal angle connector

Shelf Life:

N/a

## Unit Of Measure:

---

## Demilitarization:

No

Fiig:

A077a0

Mil-std (military Standard):

Mil-c-17 spec.