

View Online at https://aerobasegroup.com/nsn/5995-01-308-3929

| Cross Sectional Shape: |
|---|
| Round |
| Overall Length: |
| 3.333 feet |
| Electrical Resistance: |
| 50.00 ohms impedance |
| Cross Section Outside Diameter: |
| 0.195 inches |
| End Application: |
| A-10 thunderbolt ii aircraft |
| Termination Type: |
| Connector internal straight 1st end single conductor |
| Conductor Quantity: |
| 1 |
| Strand Quantity Per Conductor: |
| 19 single conductor |
| Criticality Code Justification: |
| Feat |
| Conductor Form: |
| Stranded single conductor |
| Round Conductor Size: |
| 20 awg single conductor |
| Strand Awg Size Per Conductor: |
| 32 single conductor |
| Conductor Arrangement And Quantity: |
| 1 coaxial |
| Terminal Manufacturer Identifying Reference Number: |
| M39012/30-0503 2nd end all conductors |
| Terminal Commercial And Government Entity Code: |
| 81349 both ends single conductor |
| Special Features: |
| Wire marker number w3923; rg400 cable |
| Material: |
| Silver 5th position cover single conductor |
| Material Specification: |
| Mil-c-17 military specification single material response 2nd position shield braid, metallic single conductor |
| Precious Material And Location: |
| Conductor silver |
| Precious Material And Weight: |
| 0.040 silver grains, troy |
| Precious Material: |
| Silver |
| |



Surface Treatment:

Silver core conductor single conductor

Style Designator:

Internal straight and internal angle connector

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A077a0

Mil-std (military Standard):

Mil-c-17 spec.