NSN 5995-01-333-5654

Radio Frequency Cable Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5995-01-333-5654

The common at the polytraction of the control of th
Cross Sectional Shape:
Round
Electrical Resistance:
50.00 ohms impedance
Cross Section Outside Diameter:
0.195 inches
Termination Type:
Connector plug both ends single conductor
Conductor Quantity:
1
Strand Quantity Per Conductor:
19 single conductor
Criticality Code Justification:
Feat
Conductor Form:
Stranded single conductor
Round Conductor Size:
20 awg single conductor
Strand Awg Size Per Conductor:
32 single conductor
Terminal Manufacturer Identifying Reference Number:
M39012/59 2nd end single conductor
Terminal Commercial And Government Entity Code:
81349 both ends single conductor
Special Features:
Electrical/airline lg is controling lg; used on bmews system
Material:
Plastic polychlorotrifluoroethylene 11th position conductor single conductor
Material Specification:
-17/128-rg400 military specification all material responses core conductor single conductor
Precious Material And Location:
Conductor and shields silver
Precious Material And Weight:
0.040 silver grains, troy
Precious Material:
Silver
Surface Treatment:
Silver 6th position conductor single conductor
Surface Treatment Specification:
47/400 199 199 199 199 199 199 199 199 199 1

-17/128 military specification all treatment responses 6th position conductor single conductor

Style Designator: Internal connectors

NSN 5995-01-333-5654

Radio Frequency Cable Assembly - Page 2 of 2



Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
V : / :
Yes - demil/mli
Fiig:

Mil-std (military Standard):

spec.