NSN 5995-01-381-7027

Radio Frequency Cable Assembly - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5995-01-381-7027

| Cross Sectional Shape: |
|--|
| Round |
| Electrical Resistance: |
| 50.00 ohms impedance |
| Tempurature Rating: |
| -40.0 degrees celsius and 125.0 degrees celsius |
| Cross Section Outside Diameter: |
| 0.087 inches |
| End Application: |
| 5895-01-260-4573; an/usd-9a guardrail |
| Termination Type: |
| Connector plug both ends single conductor |
| Conductor Quantity: |
| 1 |
| Criticality Code Justification: |
| Feat |
| Conductor Form: |
| Solid single conductor |
| Special Features: |
| Preshaped cable; length after bend is 16.370 inches |
| Material: |
| Copper core conductor single conductor and steel core conductor single conductor |
| Material Specification: |
| $\label{lem:mil-c-17/133-00001} \ \ \text{military specification all material responses core conductor cable}$ |
| Precious Material And Location: |
| Conductor surface silver |
| Precious Material: |
| Silver |
| Surface Treatment: |
| Silver core conductor single conductor |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| Yes - demil/mli |
| Fiig: |
| |

A077a0

Mil-std (military Standard):

Mil-c-17 spec.