

View Online at https://aerobasegroup.com/nsn/5995-01-466-7708

**Cross Sectional Shape:** Round **Overall Length:** 18.000 inches Electrical Resistance: 8.97 ohms per 1000 feet **Tempurature Rating:** -30.0 degrees celsius and 85.0 degrees celsius **Cross Section Outside Diameter:** Between 0.208 inches and 0.216 inches **Termination Type:** Connector plug both ends single conductor **Conductor Quantity:** 1 **Conductor Form:** Solid single conductor **Round Conductor Size:** 19 awg single conductor **Conductor Arrangement And Quantity:** 1 coaxial **Terminal Manufacturer Identifying Reference Number:** M39012/16-0001 both ends single conductor **Terminal Commercial And Government Entity Code:** 81349 both ends single conductor **Special Features:** Insulation sleeving, p/n 344635-7, cage 49956, 1.500 in. length, one located 8.250 in. From end of cable assembly, with two more located 2.000 in. In from either end; surface of first sleeve shall display (a5 sig gen), second sleeve (0.2 db, 49956, 910178-1), and third sleeve (j37, rcvr conv) Material: Plastic polyethylene 1st position primary insulation single conductor **Material Specification:** Mil-c-17/194 military specification all material responses core conductor single conductor **Precious Material And Location:** Connectors gold and surface single conductor silver and surface 2nd position shield braid silver and surface 3rd position shield braid silver **Precious Material:** Gold and silver Surface Treatment: Silver core conductor single conductor **Surface Treatment Specification:** Mil-c-17/194 military specification all treatment responses core conductor single conductor Style Designator:

Internal connectors

Shelf Life:

N/a

Radio Frequency Cable Assembly - Page 2 of 2



Unit Of Measure:

--

Demilitarization:

No

Fiig:

A077a0

Mil-std (military Standard):

Mil-c-17 spec.